

Cognitive Behavioral Therapy for **Nightmares**

PATIENT MATERIALS

Kristi E. Pruiksma, PhD, DBSM | Joanne Davis, PhD
Daniel J. Taylor, PhD, DBSM, FSBSM, DABSM
Katherine Miller, PhD, DBSM | Jessica R. Dietch, PhD, DBSM
Noelle Balliett, PhD | Allison Wilkerson, PhD, DBSM
Gerlinda Harb, PhD | Sophie Wardle-Pinkston, PhD

Table of Contents [to be added when manual is finalized]

Session 1: Sleep Rhythms and Habits

COGNITIVE-BEHAVIORAL TREATMENT OF NIGHTMARES

- Nightmares are distressing and well-remembered dreams that usually cause awakenings.
 - Nightmares may recur in similar forms for years. They may vary from being quite similar to a real-life stressful event to more symbolic representations of an event.
 - Nightmares may cause physical reactions and emotions similar to what was experienced during a stressful event and some people may act out their nightmares during sleep.
 - Nightmares often ebb and flow in frequency and severity over time.
 - Approximately 5% of the general population reports chronic nightmares. But for people who have experienced a trauma, about 30% report nightmares, and for people who also have PTSD, about 70% report nightmares.
- Many individuals with nightmares also have insomnia.
 - Insomnia is defined as having trouble *falling* asleep or *staying* asleep.
 - Insomnia can be mainly due to nightmares making it hard to fall asleep and hard to stay asleep. However, some people can have insomnia that is less related to the nightmares. Others may only have nightmares.
 - Approximately 10% of the general population reports chronic insomnia. But for people who have experienced a trauma, about 30% report insomnia and for people who also have PTSD, 80% report insomnia.



Although 10% of the general population reports chronic insomnia, about 20% of active-duty service members and 50% of veterans report chronic insomnia.

- Nightmares and insomnia can cause each problem to be worse.
 - For example, more insomnia may lead to sleep deprivation that could set someone up to have more nightmares. Also, nightmares may make it harder to fall asleep and, by their very nature, they cause awakenings at night. It can often be difficult to get back to sleep quickly after a nightmare.
- It is important to know that nightmares and insomnia are treatable.
 - This treatment is designed to improve sleep by teaching you helpful sleep habits and relaxation skills to help reduce stress. This treatment also includes ways to target nightmares directly through writing dream content, identifying important themes in the dream, writing new dreams based on the themes, and practicing imagining the new dream before sleep.
 - Studies find that nightmare treatments reduce how often nightmares happen and how intense they are. Treatment can also decrease daytime symptoms of PTSD and depression.
- For this treatment to work, you must make two commitments:

1. Attend each session and participate fully.
2. Complete all practice work in between sessions.
 - Practice work is important for trying out the skills and recommendations in your own environment and within your daily or nightly routine.
 - Some of the things you will be asked to do may be difficult at first. Getting the most out of this treatment means trying new things, sticking with them, and practicing the skills you learn here.
 - We will look over the practice sheets at the beginning of each session. By completing these forms, we can learn what is and is not working for you.
 - You will also be asked to complete other questionnaires at the beginning of some of the sessions. These questions help us see how you are doing.
 - The workbook is yours to keep. Please write in it and look over it between sessions.

OVERVIEW OF TREATMENT


This treatment targets a range of these behaviors and habits that might feel helpful in the short term but keep problems going in the long term. We are going to target several areas to break the cycle of nightmares, sleep problems, daytime stress, unhelpful sleep habits, and avoidance.

SLEEP RHYTHMS

Your sleep habits determine your quality and quantity of sleep. The body has a “sleep drive” that naturally pushes you toward a regular schedule.


The sleep drive is affected by several things.

1. First is **the amount of sleep your body needs**.
 - Experts recommend adults get about seven to nine hours of sleep each night.
 - However, some people need more and some people need less.
 - It’s important to determine the amount of sleep *you* actually need to feel well rested.
 - A general guideline is to get enough sleep so that fatigue is not a problem during the day. Both under- and over-sleeping can cause you to feel fatigued, so it’s important to find the “just right” zone for yourself.
2. The second part of the sleep drive is **how long you have been awake**.
 - The longer you have been without sleep, the more your body starts to need it.
 - Likewise, the longer you sleep, the less your body needs it.
 - This is similar to the drive for food and water.
 - You can also think of this like a rubber band. The longer you stay awake, the further the rubber band stretches. A rubber band that has been stretched tightly will “snap” quickly when released. This “snap” can be thought of as a short sleep latency, or time to fall asleep.



3. Third, the sleep drive is partially controlled by **circadian rhythms, also known as your body clock**.

- The internal body clock helps keep us awake during the day and lets us sleep at night.
- The body clock is mostly controlled by what time you get up each morning.



4. Fourth, the sleep drive is partially controlled by **hyperactivation**.

- You may have had previous stressful experiences in which your body and mind reacted to a threat. This is when your body and mind are appropriately mobilizing all available resources to try to protect you. This is sometimes referred to as “fight or flight” mode or “an adrenaline rush.”
- During this activation, it’s almost impossible for you to sleep. This is because our bodies need a system to keep us safe when there are threats, so arousal can override the whole sleep and circadian system. Our arousal system is kind of like the “gas” and the “brakes” in a car – only one works at a time. So, if you have your foot on the gas pedal (i.e., arousal), then you cannot also be tapping the brakes (i.e., sleep).

- Sometimes, this system is on overdrive and responds to a lot of things, most of which are not actually dangerous.

Next, we are going to review sleep habits that work with these sleep rhythms instead of against them.

HELPFUL SLEEP HABITS: STIMULUS CONTROL AND SLEEP HYGIENE

HELPFUL HABIT 1: Get Out of Bed at the Same Time Each Day*

*This is **one of the most important habits**. This resets your internal body clock and sleep/wake rhythms.

What time do you need to wake up in the morning on most days to get ready for your day?

- Consider using the Sleep Diary to make the wake-up time consistent with the natural circadian rhythm. If the body wants to sleep later than what is required, consider moving parts of the morning routine to the nighttime routine (e.g., shower at night instead of in the morning, getting clothes ready at night, having children sleep in their play clothes instead of pajamas, etc.).

What are some ways you can help yourself get out of bed at the same time each morning, even on the weekends?

- Set your alarm clock (even if you think your body will wake up naturally). If you use your phone for your alarm, consider plugging in your phone away from your bed so you are not tempted to look at your phone at night and so you have to get up to turn off the alarm in the morning. It may also be helpful to use the “Do not disturb” function on your phone in order to reduce unwanted interruptions causing awakenings.
- Get bright light as soon as possible in the morning and during the day. Morning bright light tells your internal body clock that it’s time to be up, awake, and active.
 - The best source of bright light is the sun! Even if it’s overcast, sunlight is stronger than indoor light. Go outside or spend time by a window in the morning and as much as possible during the day. More light during the day means that indoor light and light from screens at night (phone or TV) will have less impact on your body clock.
 - If you do not have access to sunlight, you might consider getting a light box or light glasses to help you get more bright light.
- Plan fun or meaningful activities first thing in the morning on free days to help you want to get up when the alarm goes off.
 - Schedule to meet friends at the coffee shop, hiking trail, church, gym, etc.
 - Reward yourself for waking with your favorite coffee, a nice breakfast, your favorite show or video game, a hobby, etc.

HELPFUL HABIT 2: Use the Bed and Bedroom for Sleep and Sex Only*

*This is **one of the most important habits**.

Many people do a lot of activities in the bed or bedroom other than sleep or sex (such as scroll on their phone, watch TV, play video games, eat, work on a laptop, or relax). They may also lay awake thinking about their to-do list, worrying, or toss and turn when they cannot sleep. The thing is that we humans are creatures of habit and automatically pair things together.

For example, if you imagine going to a movie theater, what type of snack comes to mind?

Probably “popcorn.” This is because the movies and popcorn are consistently paired together. Every time you go to the movies you will see, smell, and even hear people crunching on some popcorn and of course may taste the popcorn yourself! So, our brains have paired these two things together. It’s the same thing with our bed and sleep. Anything you do in the bed gets paired with the bed.

The idea is to strengthen the link between the bed and sleep by moving wake activities to another room. If your bed is in the same location as other living spaces (e.g., office, kitchen, living room), such as dorm, loft apartment, or military barracks, the aim is to find ways to separate the sleep zone from the wake zone. This can be done, for example, by having a separate chair, sitting up on the bed for waking activities and being in bed or under the covers for sleep.

In line with this idea, it is also important to avoid sleeping in places other than the bed. Regularly sleeping on the couch, in the car, or other places can reduce the connection between the bed and sleep.

- What are some activities that you currently do in your bed or bedroom that need to be moved to another space? How difficult do you think it will be to make this change?
- Do you ever sleep somewhere other than your bed?
- If you have a bed partner, how might you discuss these changes, and the reasons for the changes, to get their support?



HELPFUL HABIT 3: Unwind Before Bed*

*This is **one of the most important habits**. The brain is not a light switch that you can just turn on and off. Most of us cannot go full speed until bedtime and then then easily fall asleep right away. Preparing for sleep is similar to a jetliner preparing for landing. Pilots will skillfully orchestrate a slow and gradual descent until the plane gently lands on the tarmac. Similarly, sleep routines are things you do before bed that become signals to your body and mind that it's time to gradually wind down and sleep. If you do the same routine before going to bed for a week or two, your mind and body will learn to switch into sleep mode.

- What could be a good sleep routine for you to unwind before bed?
- What would be a reasonable amount of time for you to unwind (e.g., 30 minutes? 60 minutes?)?
- Some activities to do:
 - Stretch or do non-activating yoga
 - Listen to soothing music or an audiobook
 - Prep for the next day (e.g., pack lunch, set out clothes, dishes, laundry, etc.)
 - Take a warm bath (but allow time to cool down prior to bed)
 - Read a magazine or book
 - Pray
 - Meditate
 - Write in a gratitude journal
 - Build with LEGOs
 - Color in adult coloring books
 - Do jigsaw puzzles, crossword puzzles, sudoku, etc.
 - Light snack (e.g., glass of warm milk, cheese, or cereal) but avoid heavy meals and excessive fluid (e.g., 8 ounces within 2-3 hours of bedtime) which can disrupt sleep through indigestion or bathroom trips during the night.
- Some activities to NOT do:
 - Consider avoiding activating screentime before bedtime and during the night.
 - Many technologies are designed to maintain interest and to keep your attention (e.g., shows end with a “cliffhanger,” games reward playing just a little bit longer, etc.). This can keep you from falling asleep.
 - Also, taking away light at night will help to signal the body clock that it's time to wind down and get in the zone for sleep.
 - The impact of light at night is relative to the amount of light you got during the day. In other words, if you get a lot of light during the day, then the light at night is just a drop in the bucket. On the other hand, if you spend most of your day indoors (even if there are bright lights on in there), any light at night might have a big impact on your sleep and circadian system.
- Some people do not want to unwind for sleep because they want to avoid sleep to avoid having nightmares.

- Unfortunately, this strategy does not work in the long run because our bodies need sleep for a lot of reasons. This may actually increase the chance of having nightmares because when our body is sleep deprived, the brain focuses on getting the dream stage of sleep first (REM sleep). This is called a REM rebound.

HELPFUL HABIT 4: Go to Bed Only When You Are Sleepy (and Not Just Tired)*

*This is **one of the most important habits**. If you go to bed when you are not really sleepy, you will not fall asleep. Therefore, there is no reason to go to bed if you are not sleepy. When you go to bed too early, it only gives you more time to become frustrated trying to fall asleep or to be anxious about nightmares.

- This may mean that you go to bed even later than your planned bedtime. That is normal and common the first one to two weeks in this program.
- Also, remember to stick to your planned time to get up, regardless of the time you go to bed.

How is feeling sleepy different from feeling tired?

- Just feeling tired or worn-out is not a sign of sleepiness. Wait until you feel things like your eyes closing/itching/becoming heavy, your head bobbing, yawning, or having problems concentrating (such as having to reread the same thing over and over).
- Some people have a hard time recognizing these signs, so start paying attention to see if you can notice them.

How do you know when you are sleepy and not just tired?

HELPFUL HABIT 5: Get Out of Bed If Awake More Than About Fifteen Minutes*

*This is **one of the most important habits**.

- People with sleep problems sometimes believe that they will get back to sleep if they simply stay in bed or sometimes believe that lying awake in bed provides the body with rest. Although it makes sense to stay in bed for a short period as you allow your body to fall asleep, lying awake in bed for long periods of time keeps insomnia going and may increase the chances of a nightmare.
- When you go to bed or wake up during the night, do not stay in bed unless you are asleep. After about 15 minutes (or when alertness sets in), get out of bed and engage in non-activating, enjoyable activities until ready for sleep. Over time, this will help you fall asleep quicker by making the bed become a trigger for sleep rather than a trigger for being awake.
- Do not watch the clock. Just estimate when fifteen minutes have passed.

- Watching the clock will increase stress, making it more difficult to fall asleep. It can be helpful to make it difficult to see the clock during the night by covering the time, turning the clock around, or plugging your phone in across the room.
- Plan the things you are going to do ahead of time and prepare things you will need to get out of bed (e.g., robe, house shoes, blanket).
- Avoid turning on bright lights. Lamps are acceptable.
- What are some enjoyable or non-activating things you can do outside of the bed? Some ideas:
 - Read a relaxing book or magazine
 - Work on an easy crossword puzzle
 - Give yourself a mini massage
 - Pray, meditate, or journal
 - Look at family photos that bring you peace or happiness
 - Build with LEGOs
 - Practice a relaxation exercise
 - Practice grounding exercise
 - Listen to soothing music
 - Fold laundry
 - Listen to an audiobook or podcast
 - Engage in crafts (e.g., knitting, beadwork)
 - Can you think of any other things?
- At the beginning of treatment, you may need to do this several times in a single night. However, if you can stick to it, your sleep should change fairly quickly.

HELPFUL HABIT 6: Avoid Naps*

*This is **one of the most important habits**. People frequently take naps because they think they need to catch up on the sleep they missed or simply because they are tired and think they need a nap to get through the day. However, naps can make sleep rhythms worse and makes it harder to go to sleep that night. This is because we all have a certain amount of sleep we need each day. Naps that are longer than half an hour take away from nighttime sleep need. This makes it harder to fall asleep at bedtime and to stay asleep during the night.

- Avoid naps if at all possible.
- If you often feel the need to nap in the early afternoon, this is a normal part of the circadian rhythm called the “post-lunch dip.”
 - Try to get active and/or bright light during the post-lunch dip to increase alertness. Walk around the halls or outside, check the mail, run, go up and down stairs, or do push-ups. Reminding yourself that the dip will improve with time alone can also be helpful.

HELPFUL HABIT 7: Make your Sleep Environment Comfortable

It can help to make your environment comfortable.

- Darkness will also help promote sleep. Use blackout shades or a sleep mask.

- Control the temperature so it is comfortable for you – not too hot and not too cold.
 - If you and your bed partner require different comfort levels, try to develop a compromise that makes you both as comfortable as possible (e.g., use electric blankets with dual controls, or the person who is cold uses more blankets or wears warm pajamas and/or a knit hat to bed).
- Having quiet during your desired sleep time also helps. Noises can be masked with ear plugs, noise-canceling headphones, or background white noise (ambient sound with an app or home device, a fan, an FM radio set between stations, or a white noise machine).
 - If your bed partner insists on using media in bed (e.g., watching TV or videos on their phone, etc.) ask them to use headphones or temporarily move to another room until you get your sleep problem corrected.
- Reduce disruptions during the night. If children or pets sleep in your bed or room during the night, this may lead to disruptions in your sleep. This may affect how you feel and interact with your family the next day.
 - It may be helpful to consider reducing disruptions by making a plan to gradually transition children or pets to sleeping in a different area. This may also help their sleep in the long run.

HELPFUL HABIT 8: Cut Down or Stop Nicotine, Alcohol, and Cannabis at Bedtime and at Night

- While nicotine can help you feel relaxed, it is a stimulant that activates your mind and body, making it harder to sleep.
- While alcohol can help people fall asleep, this effect wears off after a few hours. As the body processes the alcohol, sleep becomes more fragmented and less restful because the body processes the alcohol into a stimulating sugar. Alcohol may suppress dream sleep (or REM sleep) at first and then cause a dream sleep rebound during the night which could increase the chance of having a nightmare.
- Unfortunately, there is limited research examining cannabis use, sleep, dreams, and nightmares. This is complicated by the fact that there is a lot of variability in cannabis products. At best, cannabis is neutral when it comes to nightmares. At worst, it has a negative impact. Some cannabis products may actually increase the vividness or bizarre nature of nightmares. Consider observing the impact of cannabis on your sleep with the sleep and nightmare log.

HELPFUL HABIT 9: Stop Having Caffeine About 10 Hours Before Your Desired Bedtime

This includes coffee, tea, energy drinks, soda, workout supplements, and chocolate. Different substances have different amount of caffeine. Although small amounts of caffeine may improve alertness, caffeine lasts for hours in the body and can interfere with quality of sleep. Caffeine causes the body to exhibit the “fight or flight” response by causing adrenaline to be released. Caffeine is one of the most widely used drugs in the world. Like other drugs, a tolerance to caffeine can be developed, leading many people to use more caffeine products over time.



HELPFUL HABIT 10: Use Grounding Strategies when Waking from a Nightmare

After waking from a nightmare, you may be disoriented, unsure of where you are for a moment, and it may take you a long time to calm down. Grounding strategies are a way of centering yourself and getting your bearings. The goal is to put a healthy distance between you and negative feelings you had from a nightmare and to “ground” yourself in the “here and now” by focusing on where you are. You can use these strategies in bed after a nightmare if you choose rather than getting out of bed right away. Grounding strategies can be done any time during the day too! Here are some specific grounding strategies:

- Focus on breathing
 - Concentrate on every inhale and exhale
 - Repeat a word on every exhale, e.g. “safe”, “calm”
- Safety statement
 - Repeat to your self something like: “My name is _____, I am safe right now. I am in the present, not in the past. I am in my bedroom in my house in _____.”
- Describe your environment in detail
 - This will help distract yourself from those negative thoughts which come along with distressed feelings and help you calm down.
- Humor
 - Think of something funny like a favorite scene in a comedy or a favorite joke that always makes you laugh.
 - Save a list of funny things in your phone or notebook (e.g., memories, memes, videos on-line) to use at these times.
- Physical grounding
 - Run cool or warm water over your hands and notice what it feels like.
 - Touch objects around you and notice the textures or surfaces, the colors, weight, temperature.
 - Place a pleasant-smelling candle, perfume, or cologne near your bed to smell.
 - Hold a “grounding object,” that helps you be in the present and reminds you of where you are.

STICKING TO THE PROGRAM

These changes are a very important part of your sleep treatment. Some people take one habit at a time and others may focus on more than one habit at a time. It may take a while to break some of your unhelpful sleep habits. Try not to feel bad! It probably took many weeks, months, or years to make these habits and it will take some time to break them. It will be well worth the effort when your sleep gets better, and you begin to get the rest you deserve!

Because these changes can be difficult to follow every night, who is a support person that you can talk to about these changes you are going to make?

How important are these changes to you right now?

How confident are you about making these changes?

SESSION 1 HOME PRACTICE

- Follow your “New Sleep Plan.” Identify habits to start working on now and habits to work on later.
- Complete the Sleep Diary and Nightmare Log.
- Review session information in the patient packet and bring any questions to the next session.
- Consider speaking with a support person about the changes you are working on

My New Sleep Plan: Session 1

Habits		Under “Habits,” check which habits you want to focus on now or later in treatment. Write “NA” for habits that don’t apply.						
Now	Later	Date:						
		1. *To help me get out of bed at the same time every day at _____, I will:						
		2. *I will use the bed and bedroom for sleep and sex only. I will not sleep in places other than the bed. To help me do this, I will:						
		3. I will unwind before bed by:						
		4. I will go to bed only when I am sleepy. I will know I am sleepy when:						
		5. *I will get out of bed if awake more than ~ 15 minutes. I won’t clock-watch. I will do these activities until I feel sleepy (or for a limited amount of time):						
		6. *I will not nap during the day (or I will only nap for less than 30 minutes before 3:00pm). I will keep myself from napping by:						
		7. I will change my sleep environment by:						
		8. *I will cut down or stop nicotine, alcohol, and/or cannabis at bedtime and at night and will do the following to help myself make these changes:						
		9. I will stop having caffeine at this time:						
		10. I will use these grounding skill(s) to help me after a nightmare:						
		11. Other:						

* One of the most important habits.

Sleep Diary and Nightmare Log Instructions

General Instructions: Complete your sleep diary **every day within one hour of getting out of bed** in the morning, if possible. If you forget to fill in the diary or are unable to remember, leave the diary blank for that day. Try not to worry about giving exact times and you should not watch the clock. Just give your best estimate.

This diary can be used for people who are awake or asleep at unusual times and in places other than a bed.

"Day" is the time when you choose or are required to be awake. The term "bed" is the place where you usually sleep.

Step-by-step Instructions:

0. **Date.** Enter today's date even though some of the information you input will be from yesterday.
1. **What time did you get into bed?** Record the time you physically got into bed.
2. **What time did you "try" to go to sleep last night last night?** Record the time that you began "trying" to fall asleep. Some people begin trying to go to sleep as soon as they get in bed, while others get into bed and read, watch TV, or other things. *What we want to know for this question is when you first started trying (e.g., closed your eyes, turned out the lights) to go to sleep.*
3. **How long did it take you to fall asleep in minutes?** Beginning at the time you wrote in question 2, record how long it took you to fall asleep.
4. **How many times did you wake up, not counting your final awakening?** How many times did you wake up between the time you first fell asleep and your final awakening? This would include if you woke up for any reason (e.g., nightmare, sounds, perimeter check, check on the safety of the house or a family member).
5. **In total, how long did these awakenings last in minutes?** What was the total time you were awake between the time you first fell asleep and your final awakening? For example, if you woke 3 times for 20 minutes, 35 minutes, and 15 minutes, add them all up ($20 + 35 + 15 = 70$ minutes or 1 hour and 10 minutes).
6. **What time was your final awakening?** Record the last time you woke up for the day.
7. **What time did you get out of bed for the day?** What time did your feet hit the floor with no further attempt at sleeping? This may be different from your final awakening time (e.g. you may have woken up at 0625 but did not get out of bed to start your day until 0720).
8. **How would you rate the quality of your sleep?** "Sleep Quality" is your sense of whether your sleep was good or poor.
9. **In total, how long did you nap or doze yesterday?** Estimate the total amount of time you spent napping or dozing, in hours and minutes. For instance, if you napped twice, once for 30 minutes and once for 60 minutes, and dozed for 10 minutes, you would answer "1 hour 40 minutes." If you did not nap or doze, enter 0 hours 0 minutes.
10. **Last night, how many nightmares did you have that woke you up?** Record the number of nightmares that caused you to wake up from your sleep last night.
11. **How would you rate the overall severity of your nightmares?** What was the overall severity of the nightmares you experienced last night on a scale on 0 to 4, with 4 being the most severe. If you did not experience any nightmares last night write NA.

ITEMS IN BOX ARE ONLY TO BE COMPLETED WHEN ASSIGNED BY THE THERAPIST

12. **Relaxation practice SUDs ratings Practice 1:** Report your Subjective Units of Distress, or SUDS, directly before and after you practice the relaxation exercise during the day. SUDS range from 0 (meaning no distress/tension) to 100 (meaning the most distress/tension you can imagine).
 13. **Relaxation practice SUDs ratings Practice 2:** Report your Subjective Units of Distress, or SUDS, directly before and after you practice the relaxation exercise at night before bed on the same 0-100 scale.
 14. **How many times did you practice imagining the new dream yesterday and for how many minutes total?** Record the number of times you practiced imagining your new dream and the total time of practice yesterday. For example, if you practiced twice for 10 minutes each, add the time up to equal 20 minutes total and record "2 (20 min)."
15. **Comments:** If your sleep is affected by some unusual event (such as an illness, an emergency, a dog barking, kids crying or some other disturbance), please make brief notes

Sleep Diary and Nightmare Log

ID/Name: _____

Appointment/Date: _____

Date	Sample 3/31/22							
1. What time did you get into bed?	8:30 PM							
2. What time did you try to go to sleep last night?	9:30 PM							
3. How long did it take you to fall asleep in minutes?	55 min.							
4. How many times did you wake up, not counting your final awakening?	3 times							
5. In total, how long did these awakenings last in minutes?	70 min							
6. What time was your final awakening?	6:30 AM							
7. What time did you get out of bed for the day?	7:10 AM							
8. How would you rate the quality of your sleep? (0=Very Poor, 1=Poor, 2=Fair, 3=Good, 4=Very Good)	3							
9. In total, how long did you nap or doze yesterday?	45 min							
10. Last night, how many nightmares did you have that woke you up?	2							
11. How would you rate the overall severity of your nightmares? (0=Not at all to 4= Extremely; NA=not applicable)	4							
TO BE COMPLETED ONLY WHEN ASSIGNED								
12. Relaxation Practice 1: SUDs ratings	Before <u>65</u> After <u>50</u>	Before _____ After _____	Before _____ After _____	Before _____ After _____	Before _____ After _____	Before _____ After _____	Before _____ After _____	Before _____ After _____
13. Relaxation Practice 2: SUDs ratings	Before <u>65</u> After <u>50</u>	Before _____ After _____	Before _____ After _____	Before _____ After _____	Before _____ After _____	Before _____ After _____	Before _____ After _____	Before _____ After _____
14. How many times did you practice imagining the new dream yesterday and for how many minutes total?	1 (15 min)							
15. Comments	I have a cold 10 mg Ambien 4 beers							

Session 2: Nightmares, Stress, and Relaxation Training

I hope you found the information and skills in the last session useful. Today, we will review your Sleep Diary and Nightmare Log and change your sleep routine as needed to try to improve your sleep. Then we will talk more about what we know about nightmares and discuss some relaxation skills that might help you improve your ability to sleep.

Let's take a look at your Sleep Diary and Nightmare Log and see how you did this week.

- How did it go following each step of the sleep plan since last session
- Did you notice any changes in your nightmares or sleep?
- What were the major challenges you faced?

New Sleep Plan

- Let's update your "New Sleep Plan"
- Are there any habits that you feel are pretty natural to you now? The more you practice the new habits, the more natural they will become.
- What new habit or habits would you like to add to your sleep plan? Let's work on those habits that are the most likely to have the biggest impact on your sleep.

HELPFUL HABIT 11: Reduce Safety Behaviors at Night

A safety behavior is a habit that people develop to help them cope with anxiety. Safety behaviors typically reduce anxiety in the moment, but can actually maintain nightmares and insomnia in the long term because they activate you. They may make you feel like you have more control of a situation than you actually do. Safety behaviors might include:

- Checking locks, doors, security/surveillance cameras several times a night
- Getting out of bed to check the perimeter of your home
- Keeping the TV on or extra lights on all night
- Getting up to check out noises during the night
- Checking on family members several times a night
- Sleeping with a weapon near your bed

Do you currently check for safety at night or when sleeping?

While it makes sense to check for safety before going to bed or if you hear a very loud noise during the night, additional safety behaviors may interfere with sleep and progress in treatment. If you are lying in bed and thinking about how you and your family could be harmed, it will be difficult to relax enough to go to sleep. It may seem that going to check out every noise that you hear while you're lying in bed would help you cope with these fears, but this sort of checking behavior can actually interfere with your sleep and maintain your symptoms.

Some Reasons Why Safety Behaviors Are Not Relaxing

- Remember that safety behaviors may decrease anxiety in the short term, but in the long term, they maintain stress and hypervigilance.
- For example, if you hear a noise and you feel nervous, getting out of bed to check and finding out that nothing is wrong makes you feel better immediately. However, you will keep checking on every noise you hear while you are in bed, because you are sending a message to your brain that unless you get out of bed to check on the noise, you and your family are not safe.
- Until you start to resist checking, you will not get to see that you would be safe even if you do not get out of bed. Over time, the urge to check will decrease if you do not check every noise.

Working toward Reducing Safety Behaviors

- It is fine to check your doors and windows once before going to sleep. Then, identify a space in your home where you will go to relax if you wake up. Choose a place that does not include anything you can check (e.g., windows, doors, cameras), and gather anything you will need for relaxation (book, music, etc.). Follow the guidelines of returning to bed only when sleepy.
- If you feel the urge to check, remind yourself that it is better in the long run not to check. Examine the evidence for and against your thought. What is the evidence that something is wrong? What is the evidence that nothing is wrong? Use the answers to these questions to develop a more balanced and perhaps more accurate thought. Then, do a relaxing activity such as reading, deep breathing, listening to calming music, or prayer.
- It can also be helpful to have a physical reminder that you have already checked. For example, put a note by the bed or doorframe or have an object with two different colors that you can turn over once you have checked. Then, if the urge to check comes back during the night, you will have a physical reminder that you have already checked.
- Initially, you may feel more anxiety when you do not check. However, the more consistently that you keep yourself from checking, the faster the urge to check will decrease.
- If you find you are lying in bed ruminating about not checking, get out of bed and go to the area you previously identified to relax that does not have things you can check. Return to bed when you feel sleepy.

HELPFUL HABIT 12: Schedule Worry Time or Planning Time Well Before Bedtime

- Some people find it hard to get to sleep because they are thinking about the past, worrying, or thinking about what they need to do the next day. If this happens to you, an exercise to help close out the day is to schedule a “Worry Time,” “Planning Time,” or “Preemptive Problem-Solving Time.”
- This strategy will help you take control over your worries, rather than feeling like your mind is working against you or running wild at night.
- First, pick a time well before bed that you can spend 20 minutes worrying, planning, or problem solving every day. During other times, write your worries down on paper.
- Second, when it is your “Worry Time/Planning Time/Preemptive Problem-Solving Time,” get out your written list, and worry on purpose. Set a timer.
- As you look over the list, ask yourself: “Will I be able to find a solution to any of these before I sleep tonight?”
 - If so, solve the problem.
 - However, most things on your list will not be able to be solved before you go to sleep that night. Be honest with yourself and acknowledge that some things are not solvable right away.
 - Consider if the problem cannot be solved, is there a next step you can take toward solving the problem? If so, do that!
- Third, when the time is up, go back to writing down your worries on the list and save them for the next “Worry Time/Planning Time/Preemptive Problem-Solving Time.”
- At night, remind yourself that the day is done, and that nighttime is not the best time for worrying or solving problems. It’s worth it to not worry in bed!
- If additional worries or to-do items come up at night, write them on the list for the next time.
- If you stay at it, your mind will probably spend less time worrying over and over about the same things. You may notice that your mind is not racing all over the place as much as it used to. In the meantime, be patient with yourself! It can take time to notice the impact of this habit.

NIGHTMARES, STRESS, AND SLEEP

Stress can be a cause and a result of nightmares and insomnia. As we talked about last session, nightmares and insomnia often start after stressful events. Next, we are going to talk about how nightmares can impact the body, thoughts, and actions.

IMPACT OF NIGHTMARES

Nightmares Impact the Body

People with nightmares may:

- Feel extra alert and wired close to bedtime
- Feel confused, forgetful, and frustrated during the day because of sleep loss
- Have symptoms of panic when waking from a nightmare including
 - Racing heart
 - Shakiness
 - Sweating
 - Difficulty breathing
 - Feeling like you're choking
 - Dizziness
 - Upset stomach
 - Feelings of numbness/tingling

Nightmares Impact Thoughts

People with nightmares may have thoughts like:

- "I will not ever get over the nightmares or the trauma."
- "I've tried everything to get my sleep back on and nothing works."
- "If I go to sleep, I'll just have another nightmare."
- "I will not ever be able to sleep."
- "I'm worried I will have a nightmare tonight."



track

Nightmares Impact Actions

People with nightmares may try coping by:

- Using medications, marijuana, alcohol, or other drugs
- Avoiding reminders of the nightmares or the trauma
- Avoiding sleep
- Watching television or reading in bed
- Sleeping during the day instead of at night
- Using a lot of energy drinks, coffee, or other forms of caffeine to try to stay awake

Nightmares may also affect other areas of your life:

- For example, if you are not getting as much sleep, you may start using a lot of caffeine during the day. Many people start using alcohol to fall asleep. Now, instead of just the nightmares and their problems, you may also be dependent on caffeine to get through the day or end up addicted to alcohol.

Do you find yourself getting upset before going to bed? What is this like for you?

Having nightmares may also make you feel more upset during the day. You might think more about the trauma or remember parts of the nightmare. The feelings from the nightmare may stick around and be hard to shake off, which could change your mood or actions.

Do you have more trouble than usual the day after a bad nightmare? What is that like for you? How do you cope?

- What you are experiencing is a cycle. This cycle includes nightmares, feeling upset, and feeling more stressed out, nervous, or tense.
- This, in turn, can lead to more nightmares.
- This treatment is designed to help you break this cycle and help you feel better in many parts of your life. That's why it's so important to test everything out to see what works for you!

THEORIES ABOUT NIGHTMARES

Before we talk about nightmares, let's talk about dreams that are not nightmares. Scientists are still trying to understand dreams, but here is some of what we know:

- When we sleep, the parts of the brain that process feelings (i.e., the amygdala) and memories (i.e., the hippocampus) are both very active and firing off signals.
- We also know that the part of the brain that does the thinking and planning (the frontal lobes) gets to take a break . . . mostly.
- One idea for why dreams happen is that the part of the brain that plans and thinks is half-asleep but still picks up some of the signals being fired by the feeling and memory parts of the brain. The thinking part of the brain does what it does best and tries to shape the signals into some sort of story. However, the story in the dream often does not make much sense when we think about it in the morning.
- This is why you can sometimes link your dream to something that happened recently or to intense emotions or pieces of old memories.
- Dreams are a normal part of sleep that helps us with emotion processing and memory processing.

Researchers have come up with a few reasons why nightmares start. We'll talk about two theories of how nightmares develop.

Emotional Processing / Trauma Processing

The first theory is that a nightmare is your mind's way of trying to process trauma-related information.

Nightmares are one of the intrusive symptoms of PTSD.

- Another way to think of it is that the memories of the trauma are not worked through the right way or stored in the brain properly. This may be because of having strong negative feelings during the trauma. The mind may be trying to work through this information. This might happen during the day through flashbacks and thoughts that pop into your mind, and at night through nightmares or bad dreams.
- Some researchers believe that nightmares may be the mind's way of trying to process parts of your thoughts or feelings about the trauma. Remember vinyl records, and how they sometimes skip? The record player gets hung up on one spot but keeps trying over and over to play at the same place. Or, have you ever updated your smartphone, laptop or other device and it got caught in a cycle or rebooting? The device just keeps refreshing or restarting over and over again. In the same way, having nightmares may be your mind's way of trying to get control over those parts of the trauma or what happened afterward. However, something is stuck and it is not working right, or you would not still be having nightmares.
- Because the memories, feelings, and images from traumatic events are really intense, they are easy for the brain to access to include in the dream story. Over time, this can also become a habit for the brain.
- Nightmares may also reflect important issues related to trauma that have not been worked through. These might be issues that you see show up in other areas of your life (e.g., feelings of powerlessness, feeling bad about yourself, not feeling safe, not wanting to be close to other people, or trust).
- Because we wake up from nightmares, the storyline does not have the chance to come to a conclusion. Also, because the thinking part of our brain is largely shut down when nightmares occur, very little new information or new ways of thinking are able to influence the nightmares. This may be why many people having the same nightmare, or the same type of nightmares, over and over again. When awake, people tend to avoid thinking about the nightmare, again preventing the opportunity for new information, perspectives, and thoughts to influence what we are dreaming about.

Mood Matching

The second theory of nightmare development is mood matching.

- This is the idea that dreams and nightmares may be stories for our emotions (e.g., fear, terror, guilt). So, if you go to sleep feeling nervous, when it comes time to dream, your brain may reach for a story in which you feel nervous. For example, a story in which you keep getting things wrong, or you're just too late to stop a problem. If you feel a lot of stress as you're falling asleep, then your mind may give you an upsetting story to dream.
- To look at a different example, you might choose to listen to music based on how you feel. If you feel angry, you might listen to loud rock, rap, or dub step. On the other hand, if you feel mellow, you might listen to country, R&B, jazz, or pop. You match the music to your mood. You listen to a different type of music when you are getting a massage versus when you are working out.
- Your mind may also pull in information from your current life into your dreams. This helps to explain why your dreams or nightmares might change over time. You might see your family pop into dreams about trauma, or a traumatic event happens at your current job.

Why You Are Having Nightmares

Which of these theories do you think fits best with your experience?

Having an understanding of nightmares can help us feel some control over something that often feels random and uncontrollable.

RELAXATION TECHNIQUES

As discussed, stress and nightmares can serve as triggers for the nightmare cycle, which have an impact on your sleep:

- Stress leads to physical arousal.
- Physical arousal inhibits sleep and may increase the chance of having a nightmare.
- Difficulty sleeping increases stress, restarting the cycle.

Since stress can interfere with sleep, it is important for you to learn how to:

- Help prevent your body from getting tense at bedtime and
- Truly relax your body.

This section will focus on helping you learn a relaxation technique to achieve both of these goals.

- Even without specific techniques, we often try to initiate a relaxation response by engaging in an activity we find relaxing (e.g., exercise, reading, listening to music, hobbies, taking a walk, watching TV, fishing).
- These methods require special equipment (e.g., a TV, fishing rod, book. etc.), a large amount of time (an afternoon to fish, an hour to watch a TV program), or a special setting (TV room, a river).
- The relaxation technique we are going to teach you does not require any special equipment. In the next session, we will also teach you a relaxation strategy that can be used anytime and anywhere.

Have you heard of relaxation techniques before or even tried them?

- In the military, infantry learn that they need good, rhythmic, careful breathing patterns to help keep relaxed when shooting a weapon and to time the shots with the breathing pattern for increased accuracy.
- Professional athletes focus on breathing and imagery to perform at the highest level possible. When shooting free throws, NBA basketball players close their eyes, visualize their shot, and take a deep breath to enhance the energy in the body.

PROGRESSIVE MUSCLE RELAXATION (PMR) WITH GUIDED IMAGERY

- PMR and Guided Imagery are tools that are effective in helping people relax.
- In progressive muscle relaxation, you will take charge of the voluntary muscles in your body by tensing muscles and then releasing that tension. Upon release, muscles “rebound” to a more relaxed state than prior to the tension.
- Only tense your muscles a third or a half of the maximum tension. The tension should NOT cause pain.
- Relaxation also involves breathing deeply, slowly, and rhythmically.
- In guided imagery, you will paint a pleasant picture in your mind’s eye. Similar to how athletes enhance their body’s performance by visualizing their performance, you can visualize relaxing scenes to enhance your body’s relaxation response.
- Before we discuss the technique, let’s go over a few key points of how to be successful when doing any relaxation technique.
 - Remember that relaxation is a skill. It may feel unnatural or awkward at first, but with practice it should become easier.
 - A passive attitude is key for maximal relaxation. You cannot force yourself to relax. Trying really hard will only work against you.
 - As you do the exercise you may find that you have a sensation of tingling, floating, warmth, or sleepiness. This is normal. A small percentage of people become more anxious as they become more aware of everything going on in their body. If you find yourself becoming more anxious or feeling out of control, remember that this is normal; it may just take you a little more time to become comfortable with relaxation.
 - Distraction is normal. If you find your mind wandering, gently redirect your thoughts to the task at hand. With continued practice you will find that your mind will wander less and less and that you will be able to become deeply relaxed. Repeating a word or phrase (e.g., “relax”) to yourself may help you keep your thoughts focused on relaxing

SUDS Rating: How tense do you feel on a scale of 0–100, with 0 = completely and deeply relaxed throughout your body, and 100 = extremely tense throughout your body.	
---	--

[Play an audio media file or have someone read the script below.]

Progressive Muscle Relaxation (PMR) With Guided Imagery: Script 1

- Settle into your chair with your arms at rest.... Your feet flat on the floor.... Now gently close your eyes or, if that is uncomfortable, focus your gaze on a neutral spot on the floor or wall.... Take three slow deep breaths and take about twice as long to exhale as you take to inhale.... Notice the soothing flow of air into and out of your lungs and diaphragm... ok, good...
- Now, let’s begin by you making a tight fist with both of your hands... if your nails are long, just turn your fingers under and put them on the outside of your palm and press... notice the tension in the muscles of your hands... notice the tightness... study this.
- Now, let go of the tension and relax those muscles. Notice the difference between the relaxation that you feel now in those muscles and the tension that you felt only a moment ago. Ok, now let’s do that again... make sure when you tense your muscles that you tense only those muscles and not other muscles in your body. You are making a tight fist now with both hands... study the tension in those muscles... now let go and relax... notice the sensations of relaxation that are so much greater now. Just let your hands be completely loose and limp.
- Next, tense your biceps and only your biceps, just like you’re showing off your muscles. Bringing your arms up and flexing your muscles... study the tension you feel in each of your upper arms... your left arm... your right arm... notice these sensations... now notice the difference as you relax, let go of the tension... and notice the difference.

- Now, the next muscles involved are the shoulders and the upper part of the back. Simply extend your arms in front of you and pull your shoulders forward, stretching them forward. Notice the tension in your shoulders and upper back... study this. Notice these sensations. Now be very aware of the difference as you let go completely and relax these muscles... Settling back into the chair. Noticing the heavier, warmer feeling in these relaxed muscles.
- Now, push your shoulders back. Do this by simply leaning forward slightly and moving your arms back so as to push your chest out. Notice the tension in your shoulders and notice the difference as you relax those muscles. Just let go of all the tension now and relax.
- The next series of exercises involve the neck muscles. These muscles are easier to strain than most, so tense only enough so that you can feel the muscles tighten, but not hard enough to hurt yourself.
- Tilt your head to the left... feeling a tightness in the muscles on the right side of your neck... notice the difference now as you let go of that tension... just relax... Now, tilt your head to the right... again, become aware of the tightness in the muscles on the left side of your neck... and now completely let go and relax those muscles... You are continuing to breathe deeply and slowly... in and out...
- Now let's move to the muscles of your face. Push your lips together as hard as you can... again, notice the tightness in the muscles around your mouth... and now let go totally and relax these muscles...
- Now close your eyes tightly, tensing the muscles around your eyes... concentrate on the tension and notice the difference as you relax the muscles around your eyes... release all of the tension there...
- And now tense the muscles of your forehead, by raising your eyebrows... notice the tense sensations... and now... relax... As you did earlier, you are taking slow, deep breaths, taking about twice as long to exhale as you do to inhale. On your next inhale, think the word "peaceful," and as you exhale, think the word "calm"... ready... peaceful, calm... peaceful, calm... peaceful, calm...
- The next muscles I would like for you to tense are the muscles in your stomach. Without changing your slow pattern of breathing, pull your stomach in and notice the uncomfortable tightness of the muscles in your stomach... Now at the same time that you are exhaling, let go of that tension and relax... now, tense your stomach muscles by pushing your stomach out... continuing to breathe and noticing the tightness there... and at the same time that you exhale, relax those muscles. Notice the sensations... warmth, heaviness, relaxation in your midsection...
- Now, focus your attention on your thighs. Tighten the muscles by extending your legs in front of you and raising them just slightly in the air... focusing on the knots of tension in your thighs, its uncomfortable... but now, notice the difference as you exhale and let go of that tension. Just lower your legs and completely relax. You can feel the warm flow of relaxation moving through your thighs.
- Now, point your toes back toward your head so that the muscles around your ankles and calves become tense... notice the hard tightness in your calves...and while exhaling, release that tension and relax...
- Now, point your toes away from you and again, sense the tension in your feet and lower legs... while exhaling, let go of that tension and relax...
- Now, you will deepen the level of relaxation you feel throughout your entire body by taking three or four smooth, deep breaths and feeling the relaxation flow through your body from your arms to your shoulders... up through your neck, your head... down your chest...through your midsection... your legs... each deep and complete inhale and exhale will increase the depth of relaxation... allow yourself to become aware of any slight tension that you might feel in any muscle of your body. Simply tense that muscle and release the tension as you've done before...[LONG PAUSE]... let yourself enjoy the warm heaviness of relaxation flowing through your body, becoming more relaxed, sinking into the chair, feeling peaceful and calm, contented...enjoying the very pleasant feelings... You can use your breathing to enhance your relaxation even more... sinking more comfortably and deeply into relaxation... each time you exhale, you sense more tension leaving and more calm, peaceful feelings flowing into your body [LONG PAUSE].
- And now, you will use your imagination, your mental imagery, to paint a pleasant picture in your mind that will make you feel even more calm, content, and relaxed... In your mind, place yourself in a springtime scene either on the beach, or in the mountains, or in the countryside, whichever you'd really like...this can be a pleasant place you have been before or a place that you can imagine... begin to paint your mental picture very vividly... experience your pleasant scene as if you are really there...it's very safe and peaceful... you hear the birds singing... you see the colors... you see nature around you... you feel the soothing warmth of the sun... on your skin, you feel a gentle, caressing breeze that envelops your body in a

very calming and comfortable way... enjoy your pleasant scene... not a worry in the world... nothing to do... but simply relax... feeling so relaxed and pleasant... you're giving way totally to the experience...[VERY LONG PAUSE – 2 TO 3 MINUTES]

- Now, in your mind's eye, picture a small circle of your favorite color, located in the center of your body, filling this circle is your inner experience of a feeling of well-being, contentment, and satisfaction. Using your slow, soothing breathing, you can make your circle grow and fill you more and more with your very real feeling of contentment and satisfaction. As you exhale, let the circle expand... as the circle expands, the feelings of satisfaction and contentment spread and radiate throughout your body. Allow the feeling to grow, to spread, to fill your experience... more and more as you breathe in and out... very calm, and content...[VERY LONG PAUSE]
- Very gradually, as I count backwards from 10 to one, this exercise will come to a close. I want you to feel yourself feeling refreshed...10...9...8...feeling relaxed...7...6...5...feeling ready for the next part of your day...4...3...2...1... I hope you have deep, pleasant, feelings of well-being now.

<i>Great, now how tense do you feel on the same 0–100 point scale?</i>	
--	--

TRACKING RELAXATION IN THE SLEEP DIARY AND NIGHTMARE LOG

Use the Sleep Diary and Nightmare Log to keep track of your relaxation practice and progress developing these skills. Practice once during the daytime and once as part of your bedtime routine, to help your mind and body relax for sleep. You can also use relaxation if you wake up during the night. If you fall asleep while doing the relaxation at bedtime, that's great! There is no need to wake up to fill out the log right away.

When and where will you practice relaxation between now and the next session?

SESSION 2 HOME PRACTICE

- Follow your “New Sleep Plan.”
- Complete the Sleep Diary and Nightmare Log.
- Review session information in the patient packet and bring any questions to the next session.
- Practice the relaxation exercise at least twice daily, with one of these times near bedtime, and record your practice on the Sleep Diary and Nightmare Log.
 - These media files are available to share or download:
 - Progressive Muscle Relaxation Guided Imagery Script One: <https://vimeo.com/480387339>
 - Progressive Muscle Relaxation Guided Imagery Script Two: <https://vimeo.com/480399123>
 - Progressive Muscle Relaxation without Music: <https://vimeo.com/480401030>
 - Progressive Muscle Relaxation with Music: <https://vimeo.com/480402598>

Other relaxation resources that are preferred can be used as well. It is recommended that relaxation practice be at least 10-15 minutes and include some element of guided imagery.

My New Sleep Plan: Session 2-6

Habits		Under "Habits," check which habits you want to focus on now or later in treatment. Write "NA" for habits that don't apply.							
Now	Later	Date: <table border="1" style="display: inline-table; vertical-align: middle;"><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>							
		1. *To help me get out of bed at the same time every day at _____, I will: <table border="1" style="display: inline-table; vertical-align: middle;"><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>							
		2. *I will use the bed and bedroom for sleep and sex only. I will not sleep in places other than the bed. To help me do this, I will: <table border="1" style="display: inline-table; vertical-align: middle;"><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>							
		3. I will unwind before bed by: <table border="1" style="display: inline-table; vertical-align: middle;"><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>							
		4. I will go to bed only when I am sleepy. I will know I am sleepy when: <table border="1" style="display: inline-table; vertical-align: middle;"><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>							
		5. *I will get out of bed if awake more than ~ 15 minutes. I won't clock-watch. I will do these activities until I feel sleepy (or for a limited amount of time): <table border="1" style="display: inline-table; vertical-align: middle;"><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>							
		6. *I will not nap during the day (or I will only nap for less than 30 minutes before 3:00pm). I will keep myself from napping by: <table border="1" style="display: inline-table; vertical-align: middle;"><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>							
		7. I will change my sleep environment by: <table border="1" style="display: inline-table; vertical-align: middle;"><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>							
		8. *I will cut down or stop nicotine, alcohol, and/or cannabis at bedtime and at night and will do the following to help myself make these changes: <table border="1" style="display: inline-table; vertical-align: middle;"><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>							
		9. I will stop having caffeine at this time: <table border="1" style="display: inline-table; vertical-align: middle;"><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>							
		10. I will use these grounding skill(s) to help me after a nightmare: <table border="1" style="display: inline-table; vertical-align: middle;"><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>							
		11. I will reduce safety behaviors at night by: <table border="1" style="display: inline-table; vertical-align: middle;"><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>							
		12. I will have scheduled worry time or planning time at: <table border="1" style="display: inline-table; vertical-align: middle;"><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>							
		13. Other: <table border="1" style="display: inline-table; vertical-align: middle;"><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>							

* One of the most important habits.

Sleep Diary and Nightmare Log Instructions

General Instructions: Complete your sleep diary every day within one hour of getting out of bed in the morning, if possible. If you forget to fill in the diary or are unable to remember, leave the diary blank for that day. Try not to worry about giving exact times and you should not watch the clock. Just give your best estimate.

This diary can be used for people who are awake or asleep at unusual times and in places other than a bed.

"Day" is the time when you choose or are required to be awake. The term "bed" is the place where you usually sleep.

Step-by-step Instructions:

0. **Date.** Enter today's date even though some of the information you input will be from yesterday.
1. **What time did you get into bed?** Record the time you physically got into bed.
2. **What time did you "try" to go to sleep last night last night?** Record the time that you began "trying" to fall asleep. Some people begin trying to go to sleep as soon as they get in bed, while others get into bed and read, watch TV, or other things. *What we want to know for this question is when you first started trying (e.g., closed your eyes, turned out the lights) to go to sleep.*
3. **How long did it take you to fall asleep in minutes?** Beginning at the time you wrote in question 2, record how long it took you to fall asleep.
4. **How many times did you wake up, not counting your final awakening?** How many times did you wake up between the time you first fell asleep and your final awakening? This would include if you woke up for any reason (e.g., nightmare, sounds, perimeter check, check on the safety of the house or a family member).
5. **In total, how long did these awakenings last in minutes?** What was the total time you were awake between the time you first fell asleep and your final awakening? For example, if you woke 3 times for 20 minutes, 35 minutes, and 15 minutes, add them all up ($20 + 35 + 15 = 70$ minutes or 1 hour and 10 minutes).
6. **What time was your final awakening?** Record the last time you woke up for the day.
7. **What time did you get out of bed for the day?** What time did your feet hit the floor with no further attempt at sleeping? This may be different from your final awakening time (e.g. you may have woken up at 0625 but did not get out of bed to start your day until 0720).
8. **How would you rate the quality of your sleep?** "Sleep Quality" is your sense of whether your sleep was good or poor.
9. **In total, how long did you nap or doze yesterday?** Estimate the total amount of time you spent napping or dozing, in hours and minutes. For instance, if you napped twice, once for 30 minutes and once for 60 minutes, and dozed for 10 minutes, you would answer "1 hour 40 minutes." If you did not nap or doze, enter 0 hours 0 minutes.
10. **Last night, how many nightmares did you have that woke you up?** Record the number of nightmares that caused you to wake up from your sleep last night.
11. **How would you rate the overall severity of your nightmares?** What was the overall severity of the nightmares you experienced last night on a scale on 0 to 4, with 4 being the most severe. If you did not experience any nightmares last night write NA.

ITEMS IN BOX ARE ONLY TO BE COMPLETED WHEN ASSIGNED BY THE THERAPIST

12. **Relaxation practice SUDs ratings Practice 1:** Report your Subjective Units of Distress, or SUDS, directly before and after you practice the relaxation exercise during the day. SUDS range from 0 (meaning no distress/tension) to 100 (meaning the most distress/tension you can imagine).
13. **Relaxation practice SUDs ratings Practice 2:** Report your Subjective Units of Distress, or SUDS, directly before and after you practice the relaxation exercise at night before bed on the same 0-100 scale.
14. **How many times did you practice imagining the new dream yesterday and for how many minutes total?** Record the number of times you practiced imaging your new dream and the total time of practice yesterday. For example, if you practiced twice for 10 minutes each, add the time up to equal 20 minutes total and record "2 (20 min)."
15. **Comments:** If your sleep is affected by some unusual event (such as an illness, an emergency, a dog barking, kids crying or some other disturbance), please make brief notes.

Sleep Diary and Nightmare Log

ID/Name: _____

Appointment/Date: _____

Date	Sample 3/31/22							
1. What time did you get into bed?	8:30 PM							
2. What time did you try to go to sleep last night?	9:30 PM							
3. How long did it take you to fall asleep in minutes?	55 min.							
4. How many times did you wake up, not counting your final awakening?	3 times							
5. In total, how long did these awakenings last in minutes?	70 min							
6. What time was your final awakening?	6:30 AM							
7. What time did you get out of bed for the day?	7:10 AM							
8. How would you rate the quality of your sleep? (0=Very Poor, 1=Poor, 2=Fair, 3=Good, 4=Very Good)	3							
9. In total, how long did you nap or doze yesterday?	45 min							
10. Last night, how many nightmares did you have that woke you up?	2							
11. How would you rate the overall severity of your nightmares? (0=Not at all to 4= Extremely; NA=not applicable)	4							
TO BE COMPLETED ONLY WHEN ASSIGNED								
12. Relaxation Practice 1: SUDs ratings	Before <u>65</u> After <u>50</u>	Before _____ After _____	Before _____ After _____	Before _____ After _____	Before _____ After _____	Before _____ After _____	Before _____ After _____	Before _____ After _____
13. Relaxation Practice 2: SUDs ratings	Before <u>65</u> After <u>50</u>	Before _____ After _____	Before _____ After _____	Before _____ After _____	Before _____ After _____	Before _____ After _____	Before _____ After _____	Before _____ After _____
14. How many times did you practice imagining the new dream yesterday and for how many minutes total?	1 (15 min)							
15. Comments	I have a cold 10 mg Ambien 4 beers							

Session 3: Targeting Nightmares, Part 1*

I hope you found the information and skills in the last session useful. Today, we'll review your Sleep Diary and Nightmare Log and change your sleep routine if needed. Then we will discuss ways to address your nightmares.

TARGETING NIGHTMARES

- Previous research has found that the nightmare technique we are about to use is helpful for trauma nightmares and sleep problems.
- The goal of this therapy is to try to lessen the number of nightmares you have and make them less upsetting. This may also help you feel better during the day. You may start seeing changes in different areas of your life as you sleep better.
- As in previous sessions, for this treatment to work, you will need to practice between sessions.

FACING THE NIGHTMARE

Because nightmares are stressful and upsetting, many people try not to talk or think about the nightmares. Trying to avoid things connected to trauma (including nightmares) is very common. This may seem like it is helpful because it gets rid of stress at first, but it can make problems worse in the long run.

- Dealing with fears by facing them is one of the very oldest types of therapy.
 - What do most people say you should do if you fall off a bike?
 - How might a child feel after they fall off a bike and then get back on?
 - What do most parents tell their children to do? Why?
 - How have you overcome a fear in the past?
 - What we are going to do today is very similar.
- Today, you will take a big step toward facing the nightmares by writing out your nightmare. This will take back power from the nightmare.
- You will do this in session, so I will be here to support you through the process.
- First, we will review guidelines for writing the nightmare and some examples.
 - It is important to think about your most upsetting nightmare. Does that nightmare come to mind? It is not always clear which nightmare is the most upsetting. Consider which nightmare you have the most often, or a recent nightmare that was upsetting, that you can clearly remember, or that leads to the most sleep loss or distress the next day.

WRITE NIGHTMARE OUT

You'll have about ten minutes to write.

SUDS Rating: Before you begin, rate how tense/upset you feel on a 100-point scale, with 0 = completely and deeply relaxed throughout your body, and 100 = extremely tense throughout your body.	
--	--

Sometimes people feel like the nightmare is real or the trauma is happening all over again. It is NOT happening again. It is a dream. It is not real and it cannot hurt you. Remind yourself that it is not real and that you are safe. Take a look around and describe what you see. This can help you to have more control over your feelings about the nightmare. You are not alone. I will be here in the room for support but will be focusing on something else to give you space to write.

You may feel more upset after writing the nightmare. This is normal. The first few times you do something you are afraid of, you are likely to feel some fear. Try not to let this bother you—it will go away. The more you talk, write, read, or think about the nightmare, the less upset you will feel.

SUDS Rating: How tense/upset do you feel before writing out the nightmare (0-100)	
--	--

[illegible]

[illegible]

[illegible]

[illegible]

READ NIGHTMARE

Now that you have written out your nightmare, the next step will be for you to read your nightmare out loud. Reading your nightmare out loud may seem stressful, but this will give you another way to face your nightmare and take back your control. This time, it's on your terms. It may also help you to feel less alone to share the nightmare with a supportive person.

SUDS Rating: How tense/upset do you feel after reading the nightmare (0–100)?	
---	--

Congratulations! This was probably the hardest part of the therapy! You faced the thing that has been bothering you. You are already taking back your power and increasing the control in your life. Now you've read your nightmare out loud.

PROCESS NIGHTMARE

As you read your nightmare, did you notice any of the following themes in your nightmare?

- **Safety:** Feeling unsafe, seeing dangerous things happening, or being in danger.
- **Power/Control:** Not being able to control what is happening, not calling the shots.
- **Intimacy:** Feeling close to other people, or a lack of closeness.
- **Trust:** Not being able to count on others or yourself.
- **Esteem:** Not feeling good about yourself or not feeling good about others.

These ideas you picked out are very important to keep in your mind during this next part, when we get to make some changes. These areas are considered “stuck points”—thoughts or feelings that you are having problems working through. Picking out these themes is the first step toward dealing with them.

ALTER NIGHTMARE THEMES

Now that you have written out and read your nightmare, it is time to make some changes!

- The nightmare is not helping you. It is causing awakenings and distress and is not serving a purpose. The idea of rescripting the nightmare—that is, writing a new dream script—is to give your mind a different direction to go in during the night: different images, storylines, and emotions. This is similar to the way athletes visualize their actions before a competition. If you have ever watched the Olympics, they typically show athletes closing their eyes and making body movements right before their performance. This

improves performance. Rewriting the nightmare is a way of helping improve sleep performance.

- Another way to think about it is that we are priming the brain to have a different type of dream. Let's review an example of priming the brain. If you have ever been interested in getting a new car, you might think about some options. Once you are interested in a particular type of car, you start noticing them everywhere. The number of that type of car did not suddenly change. Your brain was just primed to notice them and started finding them around you more. Similarly, we want to prime the brain to be ready for different emotions and images at night that are not so intense and distressing that they cause awakening.
- Believe it or not, changing your nightmare is just like changing any other behavior, because like other behaviors, it involves learning. When nightmares happen over and over for more than one (1) month, the nightmare patterns become the automatic, or "default" dream pattern. Therefore, creating and repeating new dream scripts that are not bothersome during the day can reverse the old, bothersome dream pattern.
- What we have found is working with the nightmare in a safe environment will give you a chance to have more of a sense of control over the nightmare. The changed version of the dream will also emphasize your ability to control what happens in the dream.
- Imagery can be very powerful and you have many images stuck in your mind. You can learn to use imagery to your advantage, as a tool in helping yourself master those negative images.
- With this in mind, one of your assignments this week will be to *start thinking about ways you will change your nightmare*. You can change any part you want—the beginning, the middle, or the end—as long as it targets the idea/theme you noticed. If you noticed several of the themes in your nightmare, it may be helpful to pick one or two to focus on for the next part of the treatment.
- In order for the treatment to work, your new dream needs to have some kind of connection to the nightmare. Here are some ideas that others have found worked well for them:
 - **Power-focused ideas:** more or better weapons, size change, rank change, control of time, control of environment.
 - **Safety-focused ideas:** body armor, physical cover, additional exits, change injury location/type, night vision, scopes, advance warning, prophetic dream/bad feeling, support person, law enforcement, ability to fly/teleport/be invisible. You can also consider changing/reducing the intensity of what happened—i.e., turning down the volume of what happened, or making a PG-13 version of what happened.
 - **Intimacy-focused ideas:** add in a trusted friend, have a battle buddy, increase honesty, emotional honesty.
 - **Trust-focused ideas:** being believed, leadership following through, promises kept, consistent rules and punishment, added security, making multiple copies of items, conversation changes or adding conversations you wish would have happened.
 - **Esteem-focused ideas:** act in a way that is in line with your beliefs, recognition from others, different/better training, honoring the dead/injured, result is a

different ending, “spirit or ghost discussion” (can talk with someone who is dead/knocked out).

- We believe that imagining yourself taking an active role in the new dream can be important.
- As you think about how to change your nightmare, try not to judge your ideas immediately. Write down any ideas you have on the log in your packet.
As you think about changing your nightmare, it may feel strange or even “untrue.” If that happens, it’s okay! That is a sign that it is different from the old nightmare. We want to develop a “new” habit, so it may feel different at first. Some changes in nightmares are mild and realistic, and some are “wild and wacky.” Believe it or not, both can provide you with some much-needed relief.
- The changes we make in dream scripts are always aimed to give you an increased sense of control or mastery over the nightmare and its content, or to help you to complete the dream in a more comfortable way.


Let’s take a look at an example first.

Rescription Example 1. Sexual Assault Survivor

Target Themes: Power, Intimacy, Safety

Underlines show where changes were made to the nightmare.

“I walk into the room. It is very loud and there are people everywhere. The decorations are all green and everyone is dressed in green and gold. I am looking for my friends in the throng of people. A guy I know from the office approaches me. He is clearly drunk and swaying while he hands me a drink. I quickly text Susan and Rose our code phrase to indicate that I need help. This guy grabs me and pulls me into the middle of the room and tries to dance with me. There is so much noise – people laughing, music – I start to feel disoriented. I realize that a song I know is playing. It is “Thriller” by Michael Jackson. As it plays, this guy does the classic dance with his arms out and marches toward me, but suddenly the song stops and this guy freezes In place. Now I see Susan and Rose enter from across the room. They are wearing tan jumpsuits with proton packs on their back. A new song starts to play instead, and it is “Ghostbusters” from the classic movie. Susan and Rose walk up to me and hand me their extra proton pack. I position it on my back. I look at this guy still frozen. I am no longer alone. I am no longer afraid. I have the power. I look at my girls and say our code phrase from before, “Who you gonna call?” They shout in response, “Creepbusters!” We blast this guy with our proton packs and use them to capture him in the creep box. We toss the creep box into a side room and go back to the party. The next song comes on, and it’s “Girls just want to have fun” by Cyndi Lauper. I scream with joy! Susan and Rose hold my hands as we walk on the dance floor, and I’ve never felt so strong.”



Rescription Example 2. Service member who deployed after 9/11:

Target Themes: safety and power/control

Underlines show where changes were made to the nightmare.

“I am headed toward the shower, looking forward to a brief break from the stench. A call comes for us to report for a mission. I’m not sure what’s up, and I can feel my stomach clench. There’s a sour taste in my mouth. We get a bare-bones briefing and mount up. I have this nagging feeling that something is wrong, but there’s nothing I can do but roll on. I realize that I am in a dream. I look down at my hands. I feel my weapon just like I do every night. I have to take back control of this dream. I concentrate on my senses. I feel the vehicle rumbling. I feel my weapon in my hands. I can feel these things. If I can feel these things then I am here. If I am here then I can control them, I think to myself. I call for the vehicle to stop. This is different. I know that I have more options and I decide to take action. I roll up my sleeve to discover the high-tech wristband I have received. I push a button and activate a giant force field that surrounds our convoy. I hear the driver yell “IED,” and there is a loud boom but we all know we are safe. The debris from the explosion bounces off the force field like rain. The smoke clears and no one was hurt. Next I look to the sky, and I call for the end of the night. The sun rises and with its rays, the buildings around me crumble to dust, then the mountains. Soon a plane of nothingness stretches out before me as far as I can see. Grass starts first, shooting up around me, followed by flowers and shrubs. Finally, massive trees burst from beneath, showering me with dirt that gently falls off. A soft trickle gently rises to a quiet roar as a stream rushes past and into existence. I sit here and I know I am safe!”

Remember, looking for the idea(s) and making them part of your changed dream can make you feel more in control.

DEEP BREATHING RELAXATION

Now that we have gone through the nightmare work for the first time, let’s practice another relaxation skill.

For many of us, breathing with our chests is a habit, and it may feel strange to breathe into the belly. Next, we will go through an easy way to start mastering belly breathing.

<p>SUDS Rating: First, tell me how tense you feel on a scale of 0–100, with 0 = completely and deeply relaxed throughout your body, and 100 = extremely tense throughout your body.</p>	
--	--

[Play relaxation recording, or read the following script:]

- Put one hand on your upper chest and one on your belly, just below your rib cage.
- Close your eyes and breathe in slowly through your nose.
- Expand your belly as you breathe in.

- The hand on your belly should move a lot, while the hand on your chest will barely move.
- Pause naturally, then tighten up your stomach muscles and slowly exhale, allowing the air to gradually escape through your lips.
- The hand on your stomach will fall quite a bit, while the hand on your chest will hardly move.
- Try to keep your breathing slow, smooth, and easy. Many people find it easiest to breathe through their nose, but do whatever is most comfortable for you and allows you to breathe most naturally.
- When you breathe in, think “one” to yourself.
- Then breathe out slowly and think the word “relax.”
- On your next breath, think “two” as you breathe in, and “relax” as you breathe out.
- Continue counting until you reach “eight,” and then count backward, back down to “one.”
- Try to focus only on your breathing and the words. Open your eyes when you are finished.

<p>SUDS Rating: Great, now how tense do you feel on the same 100-point scale, with 0 = completely and deeply relaxed throughout your body, and 100 = extremely tense throughout your body.</p>	
---	--

How was that for you? Any difficulties?

SESSION 3 HOME PRACTICE

- Follow your “New Sleep Plan.”
- Complete the Sleep Diary and Nightmare Log.
- Review session information in the patient packet and bring any questions to the next session.
- Practice the relaxation exercise at least two times per day, with one of these times near bedtime, and record your practice on the Sleep Diary and Nightmare Log.
- These media files are available to share or download:
 - Progressive Muscle Relaxation Guided Imagery Script One: <https://vimeo.com/480387339>
 - Progressive Muscle Relaxation Guided Imagery Script Two: <https://vimeo.com/480399123>
 - Progressive Muscle Relaxation without Music: <https://vimeo.com/480401030>
 - Progressive Muscle Relaxation with Music: <https://vimeo.com/480402598>
- Other relaxation resources that are preferred can be used as well. It is recommended that relaxation practice be at least 10-15 minutes and include some element of guided imagery.
- Start thinking about and making notes of ways to change your nightmare using themes we discussed today. We will write the rescription at the next session.

My New Sleep Plan: Session 2-6

Habits		Under "Habits," check which habits you want to focus on now or later in treatment. Write "NA" for habits that don't apply.
Now	Later	Date: <table border="1" style="display: inline-table; width: 150px; height: 20px; vertical-align: middle;"></table>
		1. *To help me get out of bed at the same time every day at _____, I will: <table border="1" style="display: inline-table; width: 150px; height: 20px; vertical-align: middle;"></table>
		2. *I will use the bed and bedroom for sleep and sex only. I will not sleep in places other than the bed. To help me do this, I will: <table border="1" style="display: inline-table; width: 150px; height: 20px; vertical-align: middle;"></table>
		3. I will unwind before bed by: <table border="1" style="display: inline-table; width: 150px; height: 20px; vertical-align: middle;"></table>
		4. I will go to bed only when I am sleepy. I will know I am sleepy when: <table border="1" style="display: inline-table; width: 150px; height: 20px; vertical-align: middle;"></table>
		5. *I will get out of bed if awake more than ~ 15 minutes. I won't clock-watch. I will do these activities until I feel sleepy (or for a limited amount of time): <table border="1" style="display: inline-table; width: 150px; height: 20px; vertical-align: middle;"></table>
		6. *I will not nap during the day (or I will only nap for less than 30 minutes before 3:00pm). I will keep myself from napping by: <table border="1" style="display: inline-table; width: 150px; height: 20px; vertical-align: middle;"></table>
		7. I will change my sleep environment by: <table border="1" style="display: inline-table; width: 150px; height: 20px; vertical-align: middle;"></table>
		8. *I will cut down or stop nicotine, alcohol, and/or cannabis at bedtime and at night and will do the following to help myself make these changes: <table border="1" style="display: inline-table; width: 150px; height: 20px; vertical-align: middle;"></table>
		9. I will stop having caffeine at this time: <table border="1" style="display: inline-table; width: 150px; height: 20px; vertical-align: middle;"></table>
		10. I will use these grounding skill(s) to help me after a nightmare: <table border="1" style="display: inline-table; width: 150px; height: 20px; vertical-align: middle;"></table>
		11. I will reduce safety behaviors at night by: <table border="1" style="display: inline-table; width: 150px; height: 20px; vertical-align: middle;"></table>
		12. I will have scheduled worry time or planning time at: <table border="1" style="display: inline-table; width: 150px; height: 20px; vertical-align: middle;"></table>
		13. Other: <table border="1" style="display: inline-table; width: 150px; height: 20px; vertical-align: middle;"></table>

* One of the most important habits.

Sleep Diary and Nightmare Log Instructions

General Instructions: Complete your sleep diary every day within one hour of getting out of bed in the morning, if possible. If you forget to fill in the diary or are unable to remember, leave the diary blank for that day. Try not to worry about giving exact times and you should not watch the clock. Just give your best estimate.

This diary can be used for people who are awake or asleep at unusual times and in places other than a bed.

"Day" is the time when you choose or are required to be awake. The term "bed" is the place where you usually sleep.

Step-by-step Instructions:

0. **Date.** Enter today's date even though some of the information you input will be from yesterday.
1. **What time did you get into bed?** Record the time you physically got into bed.
2. **What time did you "try" to go to sleep last night last night?** Record the time that you began "trying" to fall asleep. Some people begin trying to go to sleep as soon as they get in bed, while others get into bed and read, watch TV, or other things. *What we want to know for this question is when you first started trying (e.g., closed your eyes, turned out the lights) to go to sleep.*
3. **How long did it take you to fall asleep in minutes?** Beginning at the time you wrote in question 2, record how long it took you to fall asleep.
4. **How many times did you wake up, not counting your final awakening?** How many times did you wake up between the time you first fell asleep and your final awakening? This would include if you woke up for any reason (e.g., nightmare, sounds, perimeter check, check on the safety of the house or a family member).
5. **In total, how long did these awakenings last in minutes?** What was the total time you were awake between the time you first fell asleep and your final awakening? For example, if you woke 3 times for 20 minutes, 35 minutes, and 15 minutes, add them all up ($20 + 35 + 15 = 70$ minutes or 1 hour and 10 minutes).
6. **What time was your final awakening?** Record the last time you woke up for the day.
7. **What time did you get out of bed for the day?** What time did your feet hit the floor with no further attempt at sleeping? This may be different from your final awakening time (e.g. you may have woken up at 0625 but did not get out of bed to start your day until 0720).
8. **How would you rate the quality of your sleep?** "Sleep Quality" is your sense of whether your sleep was good or poor.
9. **In total, how long did you nap or doze yesterday?** Estimate the total amount of time you spent napping or dozing, in hours and minutes. For instance, if you napped twice, once for 30 minutes and once for 60 minutes, and dozed for 10 minutes, you would answer "1 hour 40 minutes." If you did not nap or doze, enter 0 hours 0 minutes.
10. **Last night, how many nightmares did you have that woke you up?** Record the number of nightmares that caused you to wake up from your sleep last night.
11. **How would you rate the overall severity of your nightmares?** What was the overall severity of the nightmares you experienced last night on a scale on 0 to 4, with 4 being the most severe. If you did not experience any nightmares last night write NA.

ITEMS IN BOX ARE ONLY TO BE COMPLETED WHEN ASSIGNED BY THE THERAPIST

12. **Relaxation practice SUDs ratings Practice 1:** Report your Subjective Units of Distress, or SUDS, directly before and after you practice the relaxation exercise during the day. SUDS range from 0 (meaning no distress/tension) to 100 (meaning the most distress/tension you can imagine).
 13. **Relaxation practice SUDs ratings Practice 2:** Report your Subjective Units of Distress, or SUDS, directly before and after you practice the relaxation exercise at night before bed on the same 0-100 scale.
 14. **How many times did you practice imagining the new dream yesterday and for how many minutes total?** Record the number of times you practiced imaging your new dream and the total time of practice yesterday. For example, if you practiced twice for 10 minutes each, add the time up to equal 20 minutes total and record "2 (20 min)."
15. **Comments:** If your sleep is affected by some unusual event (such as an illness, an emergency, a dog barking, kids crying or some other disturbance), please make brief notes.

Sleep Diary and Nightmare Log

ID/Name: _____

Appointment/Date: _____

Date	Sample 3/31/22							
1. What time did you get into bed?	8:30 PM							
2. What time did you try to go to sleep last night?	9:30 PM							
3. How long did it take you to fall asleep in minutes?	55 min.							
4. How many times did you wake up, not counting your final awakening?	3 times							
5. In total, how long did these awakenings last in minutes?	70 min							
6. What time was your final awakening?	6:30 AM							
7. What time did you get out of bed for the day?	7:10 AM							
8. How would you rate the quality of your sleep? (0=Very Poor, 1=Poor, 2=Fair, 3=Good, 4=Very Good)	3							
9. In total, how long did you nap or doze yesterday?	45 min							
10. Last night, how many nightmares did you have that woke you up?	2							
11. How would you rate the overall severity of your nightmares? (0=Not at all to 4= Extremely; NA=not applicable)	4							
TO BE COMPLETED ONLY WHEN ASSIGNED		Before <u>65</u> After <u>50</u>	Before _____ After _____	Before _____ After _____	Before _____ After _____	Before _____ After _____	Before _____ After _____	Before _____ After _____
12. Relaxation Practice 1: SUDs ratings								
13. Relaxation Practice 2: SUDs ratings		Before <u>65</u> After <u>50</u>	Before _____ After _____	Before _____ After _____	Before _____ After _____	Before _____ After _____	Before _____ After _____	Before _____ After _____
14. How many times did you practice imagining the new dream yesterday and for how many minutes total?		1 (15 min)						
15. Comments		I have a cold 10 mg Ambien 4 beers						

Session 4: Targeting Nightmares, Part 2

I hope you found the information and skills in the last session useful. Today, we'll review your Sleep Diary and Nightmare Log and change your sleep routine as needed. Then we will work on changing your nightmare and reading it in session.

- Are there any habits that you feel are pretty natural to you now? The more you practice the new habits, the more natural they will become.
- What new habit or habits would you like to add to your sleep plan? Let's work on those habits that are the most likely to have the biggest impact on your sleep.

REVIEW RELAXATION PRACTICE AND TROUBLESHOOT

Were you able to practice your relaxation techniques last week?

Review relaxation practice on the sleep log.

Remember, this is like learning any new skill; it takes practice to get good.

GENERATING NIGHTMARE RESCRIPTION IDEAS

As mentioned last session, today we are going to work on changing your nightmare.

For practice, you were asked to think about ways to change your nightmare.

- What changes are you considering making?
- How do these changes address the themes we discussed from your nightmare?

RESCRIPT NIGHTMARE

Now you will have time to write out your new dream:

- Remember to write your changed dream like it is happening right now.
- Use first person.
- Use all of your senses (smell, touch, taste, feel, hear), and use as many details as possible.
- You can make changes to the beginning, middle, or end as long as there is at least some connection between the nightmare and the new dream.
- We are going to focus on changing one or two themes within the nightmare.
- It may also be helpful for you to take an active role in the rescription.
- Here are some ideas that others have found worked well for them:
 - **Power-focused ideas:** more or better weapons, size change, rank change, control of time, control of environment.
 - **Safety-focused ideas:** body armor, physical cover, additional exits, change injury location/type, night vision, scopes, advance warning, prophetic dream/bad feeling, support person, law enforcement, ability to fly/teleport/be invisible. You can also consider changing/reducing the intensity of what happened—i.e., turning down the volume of what happened, or making a PG13 version of what happened.

[illegible]

[illegible]

[illegible]

[illegible]

READ RESCRIPTED DREAM

- Now we are going to have you read your changed dream out loud.
- As you read your changed dream, pay attention to the differences between your old nightmare and this new, changed dream.
- Remember, looking for the ideas and making them part of your changed dream can make you feel more in control.

SUDS Rating: How tense/upset do you feel after reading the rescripted dream (0–100)?	
---	--

INTRODUCE IMAGERY REHEARSAL

- Over the next week, practice imagining your new dream in detail for about 10 minutes each night before your relaxation practice, right before you go to bed. Record your practice on the Sleep Diary and Nightmare Log.
- You can also practice during the day. The more times you imagine this new dream, the more it will help. This is called imagery rehearsal.
- Remember the theories about why nightmares happen (trauma processing and mood matching). Imagining a new dream while awake gives your mind a different direction to go during sleep.
- This is similar to how athletes visualize their actions before a competition. If you have ever watched the Olympics, they typically show athletes closing their eyes and making body movements right before their performance. This visualization can improve athletic performance. Imagining a new dream is a way of improving sleep performance.
- When you practice:
 - Sit comfortably in a relatively quiet place.
 - Close your eyes if you feel comfortable doing so. If no, keep your eyes open and focus on a point on the floor or on a wall.
 - Mentally create the images of your new dream. Make the images, sounds, feelings, thoughts, and emotions as clear as possible.
 - If within 10 minutes, you get through the new dream, repeat it again and again.
- You can also make a recording to listen to or read it over.


Practice Imagery Rehearsal in Session

- Let's practice imagining the new dream now for a few minutes in session so you can get an idea of what this will be like. There are a few options for how we can do this.
 - I can read the dream to you while you close your eyes or focus on a neutral spot to imagine the new dream.
 - You can close your eyes to picture the new dream.
 - You can read your dream to yourself quietly or out loud.
 - The main point is to picture the imagery and imagine what you are seeing, hearing, smelling, tasting, and feeling.
 - What was it like for you to imagine the new dream?

If you do find yourself wanting to avoid practicing the new dream, it is important to communicate that. What could you do if you have the urge to avoid practicing your new dream? Let's make a plan to support the process of practicing imagery rehearsal.

Dose-Response Curve

- This curve shows what we know about treatments and people's responses. Let's take medicine given for a physical problem for example.
 - X-axis = dosage of the medicine, how many milligrams you take
 - Y-axis = how much your condition is improving
- The graph shows us a few things:
 - Under a certain dose, there is no effect (flat line).
 - You have to get enough of the medicine to get any improvement.
 - The more of the medicine you get, the more improvement.
- The same holds true for psychological or behavioral treatments.
 - X-Axis = the amount of practice imagining your new dream.
 - Y-Axis = the amount of improvement we expect to happen
- Just as it is not enough to have a prescription for a medicine, it's not enough to know what to do to work on your nightmares. It takes practice, and that is perfectly normal.



Signs of Progress

- Most people do not end up dreaming their new dream. However, the original nightmare starts to change. Here are some signs of progress:
 - Fewer nights of having your old nightmare.
 - If you do have your old nightmare, it will not seem as “intense.”
 - You may dream something new or have pieces of your new dream.
 - Feel less stressed about going to bed or about having a nightmare.
 - Waking up less in the night.
 - Falling asleep faster after waking from a nightmare.
 - Feeling more rested during the day.
 - Having fewer thoughts of trauma or not being as upset by your thoughts.

RELAXATION

SUDS Rating: Tell me how tense you feel on a scale of 0–100, with 0 = completely and deeply relaxed throughout your body, and 100 = extremely tense throughout your body.	
--	--

[Play relaxation recording, or read the following script:]

Put one hand on your upper chest and one on your belly, just below your rib cage.

Close your eyes and breathe in slowly through your nose.

Expand your belly as you breathe in.

The hand on your belly should move a lot, while the hand on your chest will barely move.

- Pause naturally, then tighten up your stomach muscles and slowly exhale, allowing the air to gradually escape through your lips.
- The hand on your stomach will fall quite a bit, while the hand on your chest will hardly move.
- Try to keep your breathing slow, smooth, and easy. Many people find it easiest to breathe through their nose, but do whatever is most comfortable for you and allows you to breathe most naturally.
- When you breathe in, think “one” to yourself.
- Then breathe out slowly and think the word “relax.”
- On your next breath, think “two” as you breathe in, and “relax” as you breathe out.
- Continue counting until you reach “eight,” and then count backward, back down to “one.”
- Try to focus only on your breathing and the words. Open your eyes when you are finished.

SUDS Rating: Great, now can you tell me again how tense you feel on the same 100-point scale, with 0 = completely and deeply relaxed throughout your body and 100 = extremely tense throughout your body.	
--	--

SESSION 4 HOME PRACTICE

- Follow your “New Sleep Plan.”
- Complete the Sleep Diary and Nightmare Log.
- Review session information in the patient packet and bring any questions to the next session.
- Practice the relaxation exercise at least two times per day, with one of these times near bedtime, and record your practice on the Sleep Diary and Nightmare Log.
 - These media files are available to share or download:
 - Progressive Muscle Relaxation Guided Imagery Script One: <https://vimeo.com/480387339>
 - Progressive Muscle Relaxation Guided Imagery Script Two: <https://vimeo.com/480399123>
 - Progressive Muscle Relaxation without Music: <https://vimeo.com/480401030>
 - Progressive Muscle Relaxation with Music: <https://vimeo.com/480402598>
 - Other relaxation resources that are preferred can be used as well. It is recommended that relaxation practice be at least 10-15 minutes and include some element of guided imagery.
- Imagine your new dream in as much detail as you can for about ten minutes each night, followed by relaxation exercise. Record your practice on the Sleep Diary and Nightmare Log.
- You can also practice during the day. The more times you imagine this new dream, the more it will help.
- When you practice:
 - Sit comfortably in a relatively quiet place.
 - Close your eyes if you feel comfortable doing so. If no, keep your eyes open and focus on a point on the floor or on a wall.
 - Mentally create the images of your new dream. Make the images, sounds, feelings, thoughts, and emotions as clear as possible.
 - If within 10 minutes, you get through the new dream, repeat it again and again.

You can also make a recording to listen to or read it over.

My New Sleep Plan: Session 2-6

Habits		Under “Habits,” check which habits you want to focus on now or later in treatment. Write “NA” for habits that don’t apply.
Now	Later	Date: <table border="1" style="display: inline-table; width: 150px; height: 20px; vertical-align: middle;"></table>
		1. *To help me get out of bed at the same time every day at _____, I will: <table border="1" style="display: inline-table; width: 150px; height: 20px; vertical-align: middle;"></table>
		2. *I will use the bed and bedroom for sleep and sex only. I will not sleep in places other than the bed. To help me do this, I will: <table border="1" style="display: inline-table; width: 150px; height: 20px; vertical-align: middle;"></table>
		3. I will unwind before bed by: <table border="1" style="display: inline-table; width: 150px; height: 20px; vertical-align: middle;"></table>
		4. I will go to bed only when I am sleepy. I will know I am sleepy when: <table border="1" style="display: inline-table; width: 150px; height: 20px; vertical-align: middle;"></table>
		5. *I will get out of bed if awake more than ~ 15 minutes. I won’t clock-watch. I will do these activities until I feel sleepy (or for a limited amount of time): <table border="1" style="display: inline-table; width: 150px; height: 20px; vertical-align: middle;"></table>
		6. *I will not nap during the day (or I will only nap for less than 30 minutes before 3:00pm). I will keep myself from napping by: <table border="1" style="display: inline-table; width: 150px; height: 20px; vertical-align: middle;"></table>
		7. I will change my sleep environment by: <table border="1" style="display: inline-table; width: 150px; height: 20px; vertical-align: middle;"></table>
		8. *I will cut down or stop nicotine, alcohol, and/or cannabis at bedtime and at night and will do the following to help myself make these changes: <table border="1" style="display: inline-table; width: 150px; height: 20px; vertical-align: middle;"></table>
		9. I will stop having caffeine at this time: <table border="1" style="display: inline-table; width: 150px; height: 20px; vertical-align: middle;"></table>
		10. I will use these grounding skill(s) to help me after a nightmare: <table border="1" style="display: inline-table; width: 150px; height: 20px; vertical-align: middle;"></table>
		11. I will reduce safety behaviors at night by: <table border="1" style="display: inline-table; width: 150px; height: 20px; vertical-align: middle;"></table>
		12. I will have scheduled worry time or planning time at: <table border="1" style="display: inline-table; width: 150px; height: 20px; vertical-align: middle;"></table>
		13. Other: <table border="1" style="display: inline-table; width: 150px; height: 20px; vertical-align: middle;"></table>

* One of the most important habits.

Sleep Diary and Nightmare Log Instructions

General Instructions: Complete your sleep diary **every day within one hour of getting out of bed** in the morning, if possible. If you forget to fill in the diary or are unable to remember, leave the diary blank for that day. Try not to worry about giving exact times and you should not watch the clock. Just give your best estimate.

This diary can be used for people who are awake or asleep at unusual times and in places other than a bed.

"Day" is the time when you choose or are required to be awake. The term "bed" is the place where you usually sleep.

Step-by-step Instructions:

0. **Date.** Enter today's date even though some of the information you input will be from yesterday.
1. **What time did you get into bed?** Record the time you physically got into bed.
2. **What time did you "try" to go to sleep last night last night?** Record the time that you began "trying" to fall asleep. Some people begin trying to go to sleep as soon as they get in bed, while others get into bed and read, watch TV, or other things. *What we want to know for this question is when you first started trying (e.g., closed your eyes, turned out the lights) to go to sleep.*
3. **How long did it take you to fall asleep in minutes?** Beginning at the time you wrote in question 2, record how long it took you to fall asleep.
4. **How many times did you wake up, not counting your final awakening?** How many times did you wake up between the time you first fell asleep and your final awakening? This would include if you woke up for any reason (e.g., nightmare, sounds, perimeter check, check on the safety of the house or a family member).
5. **In total, how long did these awakenings last in minutes?** What was the total time you were awake between the time you first fell asleep and your final awakening? For example, if you woke 3 times for 20 minutes, 35 minutes, and 15 minutes, add them all up ($20 + 35 + 15 = 70$ minutes or 1 hour and 10 minutes).
6. **What time was your final awakening?** Record the last time you woke up for the day.
7. **What time did you get out of bed for the day?** What time did your feet hit the floor with no further attempt at sleeping? This may be different from your final awakening time (e.g. you may have woken up at 0625 but did not get out of bed to start your day until 0720).
8. **How would you rate the quality of your sleep?** "Sleep Quality" is your sense of whether your sleep was good or poor.
9. **In total, how long did you nap or doze yesterday?** Estimate the total amount of time you spent napping or dozing, in hours and minutes. For instance, if you napped twice, once for 30 minutes and once for 60 minutes, and dozed for 10 minutes, you would answer "1 hour 40 minutes." If you did not nap or doze, enter 0 hours 0 minutes.
10. **Last night, how many nightmares did you have that woke you up?** Record the number of nightmares that caused you to wake up from your sleep last night.
11. **How would you rate the overall severity of your nightmares?** What was the overall severity of the nightmares you experienced last night on a scale on 0 to 4, with 4 being the most severe. If you did not experience any nightmares last night write NA.

ITEMS IN BOX ARE ONLY TO BE COMPLETED WHEN ASSIGNED BY THE THERAPIST

12. **Relaxation practice SUDs ratings Practice 1:** Report your Subjective Units of Distress, or SUDS, directly before and after you practice the relaxation exercise during the day. SUDS range from 0 (meaning no distress/tension) to 100 (meaning the most distress/tension you can imagine).
 13. **Relaxation practice SUDs ratings Practice 2:** Report your Subjective Units of Distress, or SUDS, directly before and after you practice the relaxation exercise at night before bed on the same 0-100 scale.
 14. **How many times did you practice imagining the new dream yesterday and for how many minutes total?** Record the number of times you practiced imaging your new dream and the total time of practice yesterday. For example, if you practiced twice for 10 minutes each, add the time up to equal 20 minutes total and record "2 (20 min)."
15. **Comments:** If your sleep is affected by some unusual event (such as an illness, an emergency, a dog barking, kids crying or some other disturbance), please make brief notes.

Sleep Diary and Nightmare Log

ID/Name: _____

Appointment/Date: _____

Date	Sample 3/31/22							
1. What time did you get into bed?	8:30 PM							
2. What time did you try to go to sleep last night?	9:30 PM							
3. How long did it take you to fall asleep in minutes?	55 min.							
4. How many times did you wake up, not counting your final awakening?	3 times							
5. In total, how long did these awakenings last in minutes?	70 min							
6. What time was your final awakening?	6:30 AM							
7. What time did you get out of bed for the day?	7:10 AM							
8. How would you rate the quality of your sleep? (0=Very Poor, 1=Fair, 2=Good, 3=Very Good)	3							
9. In total, how long did you nap or doze yesterday?	45 min							
10. Last night, how many nightmares did you have that woke you up?	2							
11. How would you rate the overall severity of your nightmares? (0=Not at all to 4= Extremely; NA=not applicable)	4							
TO BE COMPLETED ONLY WHEN ASSIGNED								
12. Relaxation Practice 1: SUDs ratings	Before <u>65</u> After <u>50</u>	Before _____ After _____	Before _____ After _____	Before _____ After _____	Before _____ After _____	Before _____ After _____	Before _____ After _____	Before _____ After _____
13. Relaxation Practice 2: SUDs ratings	Before <u>65</u> After <u>50</u>	Before _____ After _____	Before _____ After _____	Before _____ After _____	Before _____ After _____	Before _____ After _____	Before _____ After _____	Before _____ After _____
14. How many times did you practice imagining the new dream yesterday and for how many minutes total?	1 (15 min)							
15. Comments	I have a cold 10 mg Ambien 4 beers							

Session 5: Targeting Nightmares, Part 3, and Sleep Hygiene

I hope you found the information and skills in the last session useful. Today, we'll review your Sleep Diary and Nightmare Log and change your sleep routine as needed. Then we will review your progress working with your new dream. We may begin work on a different nightmare.

REVIEW RELAXATION PRACTICE AND TROUBLESHOOT

Were you able to practice your relaxation techniques last week?

Review relaxation ratings on the Sleep Diary and Nightmare Log.

IMAGERY REHEARSAL REVIEW

- **[Review Practice Review included in Sleep Diary and Nightmare Log]**
- Were you able to practice imagining your new dream?
- When and where did you practice? Did you rehearse the new dream?
- How much time did you spend each time?
- How did you rehearse the new dream?
- How did you feel before, during, and after imagining your new dream?
- Were you able to vividly imagine the new dream? Did you find yourself avoiding the rescription or getting bored?
- Did you notice any changes in your nightmares?
- Did you practice relaxation after each time you visualized your dream?

Options for Continue Nightmare Work

If you have not seen any changes in nightmare, that is perfectly alright, and let's review the rescription process again! You can always rewrite your rescription if you are struggling with the current one. As always, if you have seen significant changes in nightmares, you may want to complete exposure for a new nightmare.

Option 1: Rescript Original Nightmare Again

What changes could you make to the nightmare?

- Remember, you can make changes to the beginning, middle or end.
- It is helpful to focus on changing areas with theme-related stuck points.
- Here are some ideas that others have found worked well for them:
 - **Power-focused ideas:** more or better weapons, size change, rank change, control of time, control of the environment.
 - **Safety-focused ideas:** body armor, physical cover, additional exits, change injury location/type, night vision, scopes, advance warning, prophetic dream/bad feeling, support person, law enforcement, ability to fly/teleport/be invisible. You can also consider changing/reducing the intensity of what happened—i.e., turning down the volume of what happened or making a PG13 version.
 - **Intimacy-focused ideas:** add in a trusted friend, have a battle buddy, increase honesty, emotional honesty.

- ## *Rescript Nightmare*

- Remember to write your changed dream like it is happening right now.
- Use your senses (smell, touch, taste, feel, hear), and use as many details as possible.

SUDS Rating: How tense/upset do you feel before writing out the rescripted dream (0-100)?	
--	--

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

[illegible]

[illegible]

[illegible]

[illegible]

Read Rescripted Dream

Now we are going to have you read your changed dream out loud.

- As you read your changed dream, pay attention to the differences between your old nightmare and this new, changed dream.
- Remember, looking for the ideas and making them part of your changed dream can make you feel more in control.

SUDS Rating: How tense/upset do you feel after reading the rescripted dream (on a scale of 0–100)?	
---	--

- Over the next week, practice imagining your new dream in detail for about 10 minutes each night before your relaxation practice, right before you go to bed. Record your practice on the Sleep Diary and Nightmare Log.
- You can also practice during the day. The more times you imagine this new dream, the more it will help. This is called imagery rehearsal.
- Remember the theories about why nightmares happen (trauma processing and mood matching). Imagining the new dream when you are awake gives your mind a different direction to go during sleep.
- This is also similar to the way athletes visualize their actions before a competition. If you have ever watched the Olympics, they typically show athletes closing their eyes and making body movements right before their performance. This visualization can improve athletic performance. Imagining the new dream is a way of improving sleep performance.
- When you practice:
 - Sit comfortably in a relatively quiet place.
 - Close your eyes if you feel comfortable doing so. If no, keep your eyes open and focus on a point on the floor or on a wall.
 - Mentally create the images of your new dream. Make the images, sounds, feelings, thoughts, and emotions as clear as possible.
 - If, within 10 minutes, you get through the new dream, repeat it again and again.
- You can also make a recording to listen to or read it over.

Practice Imagery Rehearsal in Session

- Let's practice imagining the new dream now for a few minutes in session so you can get an idea of what this will be like. There are a few options for how we can do this.
 - I can read the dream to you while you close your eyes or focus on a neutral spot to imagine the new dream.
 - You can close your eyes to picture the new dream.
 - You can read your dream to yourself quietly or outloud.
 - The main point is for you to picture the imagery and imagine what you are seeing, hearing, smelling, tasting and feeling.

[Practice imagery rehearsal for approximately 5 minutes.]

What was it like for you to imagine the new dream?

Some people find themselves wanting to avoid practicing the new dream. Let's make a plan in case that happens. What can you do if you have an urge to avoid practicing your new dream?

Option 2: Work on Another Nightmare

The next few pages are for your written story of the nightmare.

Just like the last time, remember:

- It is important to think about your most upsetting nightmare.
- Write in present tense (e.g., "It is dark" or "We are bumping along").
- Write in first person (e.g., "I am going" or "I see the blood").
- Use sensory details. What are you seeing? Smelling? Tasting? Temperature? Lights?
- Sounds? The more details, the more vivid it will be. Try to make the image as clear as possible.
- Try to write down as much of the nightmare as you can.
- Be sure to include the beginning, middle, and end.

You'll have about ten minutes to write. Remember, if you start getting upset, that you are in a safe place, you are not alone; it is only a dream.

SUDS Rating: How tense/upset do you feel before writing out the nightmare (0-100)	
--	--

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

SUDS Rating: How tense/upset do you feel after writing the nightmare (on a scale of 0–100)?	
--	--

The more you talk, write, read, or think about the nightmare, the less upset you will feel.

Now that you have written out your nightmare, the next step will be for you to read your nightmare out loud. Remember to listen for different ideas/themes that may be in your nightmare:

- Safety
- Power/Control
- Intimacy
- Trust
- Esteem

SUDS Rating: How tense/upset do you feel after reading the nightmare (on a scale of 0–100)?	
--	--

Process Nightmare

As you read your nightmare, did you notice any of the following themes?

- **Safety:** Feeling unsafe, seeing dangerous things happening, or being in danger.
- **Power/Control:** Not being able to control what is happening, not calling the shots.
- **Intimacy:** Feeling close to other people, or a lack of closeness.
- **Trust:** Not being able to count on others or yourself.
- **Esteem:** Not feeling good about yourself or not feeling good about others.

These ideas you picked out are very important to keep in your mind during this next part, when we get to make some changes. These areas are considered “stuck points”—thoughts or feelings that you are having problems working through. Picking out these themes is the first step toward dealing with them.

DEEP BREATHING RELAXATION

Now that we have gone through the nightmare work, let’s practice relaxation.

SUDS Rating: First, tell me how tense you feel on a scale of 0–100, with 0 = completely and deeply relaxed throughout your body, and 100 = extremely tense throughout your body.	
---	--

[Play relaxation recording, or read the following script:]

- Put one hand on your upper chest and one on your belly, just below your rib cage.
- Close your eyes and breathe in slowly through your nose.
- Expand your belly as you breathe in.
- The hand on your belly should move a lot, while the hand on your chest will barely move.
- Pause naturally, then tighten up your stomach muscles and slowly exhale, allowing the air to gradually escape through your lips.
- The hand on your stomach will fall quite a bit, while the hand on your chest will hardly move.
- Try to keep your breathing slow, smooth, and easy. Many people find it easiest to breathe through their nose, but do whatever is most comfortable for you and allows you to breathe most naturally.

- When you breathe in, think “one” to yourself.
- Then breathe out slowly and think the word “relax.”
- On your next breath, think “two” as you breathe in, and “relax” as you breathe out.
- Continue counting until you reach “eight,” and then count backward, back down to “one.”
- Try to focus only on your breathing and the words. Open your eyes when you are finished.

SUDS Rating: Great, now how tense do you feel on the same 100-point scale, with 0 = completely and deeply relaxed throughout your body, and 100 = extremely tense throughout your body?	
--	--

SESSION 5 HOME PRACTICE

- Follow your “New Sleep Plan.”
- Complete the Sleep Diary and Nightmare Log.
- Review session information in the patient packet and bring any questions to the next session.
- Practice the relaxation exercise at least two times per day, with one of these times near bedtime, and record your practice on the Sleep Diary and Nightmare Log.
- These media files are available to share or download:
 - Progressive Muscle Relaxation Guided Imagery Script One: <https://vimeo.com/480387339>
 - Progressive Muscle Relaxation Guided Imagery Script Two: <https://vimeo.com/480399123>
 - Progressive Muscle Relaxation without Music: <https://vimeo.com/480401030>
 - Progressive Muscle Relaxation with Music: <https://vimeo.com/480402598>
- Other relaxation resources that are preferred can be used as well. It is recommended that relaxation practice be at least 10-15 minutes and include some element of guided imagery.
- **Option 1:** Imagine your new dream in as much detail as you can for about ten minutes each night, followed by relaxation exercise. Record your practice on the Sleep Diary and Nightmare Log.
- You can also practice during the day. The more times you imagine this new dream, the more it will help.
- When you practice:
 - Sit comfortably in a relatively quiet place.
 - Close your eyes if you feel comfortable doing so. If no, keep your eyes open and focus on a point on the floor or on a wall.
 - Mentally create the images of your new dream. Make the images, sounds, feelings, thoughts, and emotions as clear as possible.
 - If within 10 minutes, you get through the new dream, repeat it again and again.
 - You can also make a recording to listen to or read it over.
- **Option 2:** Start thinking about and making notes of ways to change your new nightmare using the instructions and table in your packet.

My New Sleep Plan: Session 2-6

Habits		Under "Habits," check which habits you want to focus on now or later in treatment. Write "NA" for habits that don't apply.
Now	Later	Date: <table border="1" style="display: inline-table; width: 150px; height: 20px; vertical-align: middle;"></table>
		1. *To help me get out of bed at the same time every day at _____, I will: <table border="1" style="display: inline-table; width: 150px; height: 20px; vertical-align: middle;"></table>
		2. *I will use the bed and bedroom for sleep and sex only. I will not sleep in places other than the bed. To help me do this, I will: <table border="1" style="display: inline-table; width: 150px; height: 20px; vertical-align: middle;"></table>
		3. I will unwind before bed by: <table border="1" style="display: inline-table; width: 150px; height: 20px; vertical-align: middle;"></table>
		4. I will go to bed only when I am sleepy. I will know I am sleepy when: <table border="1" style="display: inline-table; width: 150px; height: 20px; vertical-align: middle;"></table>
		5. *I will get out of bed if awake more than ~ 15 minutes. I won't clock-watch. I will do these activities until I feel sleepy (or for a limited amount of time): <table border="1" style="display: inline-table; width: 150px; height: 20px; vertical-align: middle;"></table>
		6. *I will not nap during the day (or I will only nap for less than 30 minutes before 3:00pm). I will keep myself from napping by: <table border="1" style="display: inline-table; width: 150px; height: 20px; vertical-align: middle;"></table>
		7. I will change my sleep environment by: <table border="1" style="display: inline-table; width: 150px; height: 20px; vertical-align: middle;"></table>
		8. *I will cut down or stop nicotine, alcohol, and/or cannabis at bedtime and at night and will do the following to help myself make these changes: <table border="1" style="display: inline-table; width: 150px; height: 20px; vertical-align: middle;"></table>
		9. I will stop having caffeine at this time: <table border="1" style="display: inline-table; width: 150px; height: 20px; vertical-align: middle;"></table>
		10. I will use these grounding skill(s) to help me after a nightmare: <table border="1" style="display: inline-table; width: 150px; height: 20px; vertical-align: middle;"></table>
		11. I will reduce safety behaviors at night by: <table border="1" style="display: inline-table; width: 150px; height: 20px; vertical-align: middle;"></table>
		12. I will have scheduled worry time or planning time at: <table border="1" style="display: inline-table; width: 150px; height: 20px; vertical-align: middle;"></table>
		13. Other: <table border="1" style="display: inline-table; width: 150px; height: 20px; vertical-align: middle;"></table>

* One of the most important habits.

Sleep Diary and Nightmare Log Instructions

General Instructions: Complete your sleep diary every day within one hour of getting out of bed in the morning, if possible. If you forget to fill in the diary or are unable to remember, leave the diary blank for that day. Try not to worry about giving exact times and you should not watch the clock. Just give your best estimate.

This diary can be used for people who are awake or asleep at unusual times and in places other than a bed.

"Day" is the time when you choose or are required to be awake. The term "bed" is the place where you usually sleep.

Step-by-step Instructions:

0. **Date.** Enter today's date even though some of the information you input will be from yesterday.
1. **What time did you get into bed?** Record the time you physically got into bed.
2. **What time did you "try" to go to sleep last night last night?** Record the time that you began "trying" to fall asleep. Some people begin trying to go to sleep as soon as they get in bed, while others get into bed and read, watch TV, or other things. *What we want to know for this question is when you first started trying (e.g., closed your eyes, turned out the lights) to go to sleep.*
3. **How long did it take you to fall asleep in minutes?** Beginning at the time you wrote in question 2, record how long it took you to fall asleep.
4. **How many times did you wake up, not counting your final awakening?** How many times did you wake up between the time you first fell asleep and your final awakening? This would include if you woke up for any reason (e.g., nightmare, sounds, perimeter check, check on the safety of the house or a family member).
5. **In total, how long did these awakenings last in minutes?** What was the total time you were awake between the time you first fell asleep and your final awakening? For example, if you woke 3 times for 20 minutes, 35 minutes, and 15 minutes, add them all up ($20 + 35 + 15 = 70$ minutes or 1 hour and 10 minutes).
6. **What time was your final awakening?** Record the last time you woke up for the day.
7. **What time did you get out of bed for the day?** What time did your feet hit the floor with no further attempt at sleeping? This may be different from your final awakening time (e.g. you may have woken up at 0625 but did not get out of bed to start your day until 0720).
8. **How would you rate the quality of your sleep?** "Sleep Quality" is your sense of whether your sleep was good or poor.
9. **In total, how long did you nap or doze yesterday?** Estimate the total amount of time you spent napping or dozing, in hours and minutes. For instance, if you napped twice, once for 30 minutes and once for 60 minutes, and dozed for 10 minutes, you would answer "1 hour 40 minutes." If you did not nap or doze, enter 0 hours 0 minutes.
10. **Last night, how many nightmares did you have that woke you up?** Record the number of nightmares that caused you to wake up from your sleep last night.
11. **How would you rate the overall severity of your nightmares?** What was the overall severity of the nightmares you experienced last night on a scale on 0 to 4, with 4 being the most severe. If you did not experience any nightmares last night write NA.

ITEMS IN BOX ARE ONLY TO BE COMPLETED WHEN ASSIGNED BY THE THERAPIST

12. **Relaxation practice SUDs ratings Practice 1:** Report your Subjective Units of Distress, or SUDS, directly before and after you practice the relaxation exercise during the day. SUDS range from 0 (meaning no distress/tension) to 100 (meaning the most distress/tension you can imagine).
 13. **Relaxation practice SUDs ratings Practice 2:** Report your Subjective Units of Distress, or SUDS, directly before and after you practice the relaxation exercise at night before bed on the same 0-100 scale.
 14. **How many times did you practice imagining the new dream yesterday and for how many minutes total?** Record the number of times you practiced imaging your new dream and the total time of practice yesterday. For example, if you practiced twice for 10 minutes each, add the time up to equal 20 minutes total and record "2 (20 min)."
15. **Comments:** If your sleep is affected by some unusual event (such as an illness, an emergency, a dog barking, kids crying or some other disturbance), please make brief notes.

Sleep Diary and Nightmare Log

ID/Name: _____

Appointment/Date: _____

Date	Sample 3/31/22							
1. What time did you get into bed?	8:30 PM							
2. What time did you try to go to sleep last night?	9:30 PM							
3. How long did it take you to fall asleep in minutes?	55 min.							
4. How many times did you wake up, not counting your final awakening?	3 times							
5. In total, how long did these awakenings last in minutes?	70 min							
6. What time was your final awakening?	6:30 AM							
7. What time did you get out of bed for the day?	7:10 AM							
8. How would you rate the quality of your sleep? (0=Very Poor, 1=Poor, 2=Fair, 3=Good, 4=Very Good)	3							
9. In total, how long did you nap or doze yesterday?	45 min							
10. Last night, how many nightmares did you have that woke you up?	2							
11. How would you rate the overall severity of your nightmares? (0=Not at all to 4= Extremely; NA=not applicable)	4							
TO BE COMPLETED ONLY WHEN ASSIGNED		Before <u>65</u> After <u>50</u>	Before _____ After _____	Before _____ After _____	Before _____ After _____	Before _____ After _____	Before _____ After _____	Before _____ After _____
12. Relaxation Practice 1: SUDs ratings		Before <u>65</u> After <u>50</u>	Before _____ After _____	Before _____ After _____	Before _____ After _____	Before _____ After _____	Before _____ After _____	Before _____ After _____
13. Relaxation Practice 2: SUDs ratings		Before <u>65</u> After <u>50</u>	Before _____ After _____	Before _____ After _____	Before _____ After _____	Before _____ After _____	Before _____ After _____	Before _____ After _____
14. How many times did you practice imagining the new dream yesterday and for how many minutes total?	1 (15 min)							
15. Comments	I have a cold 10 mg Ambien 4 beers							

Session 6: Nightmare Rescription or Problem Solving

I hope you found the information and skills in the last session useful. Today, we'll review your Sleep Diary and Nightmare Log and change your sleep routine as needed. We will either discuss how the nightmare practice went over the last week. And/Or, we will rescript your new nightmare. Then we will discuss where to go from here now that this sleep intervention is ending.

REVIEW RELAXATION PRACTICE AND TROUBLESHOOT

Were you able to practice your relaxation techniques last week?

REVIEW SELF-REPORT MEASURES

Let's take a look at your self-report measures and review your progress:

- Nightmare frequency
- Nightmare severity
- Insomnia Severity Index (if applicable)
- PTSD Checklist for DSM-5 (PCL-5; if applicable)
- Depression measure (if applicable)

NIGHTMARE REVIEW

Option 1:

- Were you able to practice imagery rehearsal of your rescripted dream?
- Did you notice any changes in your nightmares?
- Did you practice relaxation after each time you visualized your dream?

Rescript Original Nightmare Again

What changes could you make to the nightmare?

- Remember, you can make changes to the beginning, middle or end.
- It is helpful to focus on changing areas with theme related stuck points.
- Here are some ideas that others have found worked well for them:
 - **Power-focused ideas:** more or better weapons, size change, rank change, control of time, control of environment.
 - **Safety-focused ideas:** body armor, physical cover, additional exits, change injury location/type, night vision, scopes, advance warning, prophetic dream/bad feeling, support person, law enforcement, ability to fly/teleport/be invisible. You can also consider changing/reducing the intensity of what happened—i.e., turning down the volume of what happened, or making a PG13 version of what happened.
 - **Intimacy-focused ideas:** add in a trusted friend, have a battle buddy, increase honesty, emotional honesty.
 - **Trust-focused ideas:** being believed, leadership following through, promises kept, consistent rules and punishment, added security, making multiple copies of

- **Esteem-focused ideas:** act in a way that is in line with your beliefs, recognition from others, different/better training, honoring the dead/injured, result is a different ending, “spirit or ghost discussion” (can talk with someone who is dead/knocked out).

- Remember to write your changed dream like it is happening right now.
- Use all of your senses (smell, touch, taste, feel, hear), and use as many details as possible.

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

- As you read your changed dream, pay attention to the differences between your old nightmare and this new, changed dream.
- Remember, looking for the ideas and making them part of your changed dream can make you feel more in control.

SUDS Rating: How tense/upset do you feel after reading the rescripted dream (0-100)?	
---	--

- Over the next week, practice imagining your new dream in detail for about 10 minutes each night before your relaxation practice, right before you go to bed. Record your practice on the Sleep Diary and Nightmare Log.
- You can also practice during the day. The more times you imagine this new dream, the more it will help. This is called imagery rehearsal.
- Remember the theories about why nightmares happen (trauma processing and mood matching). Imagining the new dream when you are awake gives your mind a different direction to go during sleep.
- This is also similar to the way athletes visualize their actions before a competition. If you have ever watched the Olympics, they typically show athletes closing their eyes and making body movements right before their performance. This visualization can improve athletic performance. Imagining the new dream is a way of improving sleep performance.
- When you practice:
 - Sit comfortably in a relatively quiet place.
 - Close your eyes if you feel comfortable doing so. If no, keep your eyes open and focus on a point on the floor or on a wall.
 - Mentally create the images of your new dream. Make the images, sounds, feelings, thoughts, and emotions as clear as possible.
 - If within 10 minutes, you get through the new dream, repeat it again and again.
- You can also make a recording to listen to or read it over.

Practice Imagery Rehearsal in Session

- Let's practice imagining the new dream now for a few minutes in session so you can get an idea of what this will be like. There are a few options for how we can do this.
 - I can read the dream to you while you close your eyes or focus on a neutral spot to imagine the new dream.
 - You can close your eyes to picture the new dream.
 - You can read your dream to yourself quietly or outloud.
 - The main point is for you to picture the imagery and imagine what you are seeing, hearing, smelling, tasting and feeling.

[Practice imagery rehearsal for approximately 5 minutes.]

What was it like for you to imagine the new dream?

Some people find themselves wanting to avoid practicing the new dream. Let's make a plan in case that happens. What can you do if you have an urge to avoid practicing your new dream?

RELAXATION

Now that we have gone through the nightmare work, let's practice relaxation.

SUDS Rating: How tense/upset do you feel before relaxation (0-100)?	
--	--

[Play relaxation recording, or read the following script:]

- Put one hand on your upper chest and one on your belly, just below your rib cage.
- Close your eyes and breathe in slowly through your nose.
- Expand your belly as you breathe in.
- The hand on your belly should move a lot, while the hand on your chest will barely move.
- Pause naturally, then tighten up your stomach muscles and slowly exhale, allowing the air to gradually escape through your lips.
- The hand on your stomach will fall quite a bit, while the hand on your chest will hardly move.
- Try to keep your breathing slow, smooth, and easy. Many people find it easiest to breathe through their nose, but do whatever is most comfortable for you and allows you to breathe most naturally.
- When you breathe in, think “one” to yourself.
- Then breathe out slowly and think the word “relax.”
- On your next breath, think “two” as you breathe in, and “relax” as you breathe out.
- Continue counting until you reach “eight,” and then count backward, back down to “one.”
- Try to focus only on your breathing and the words. Open your eyes when you are finished.

SUDS Rating: How tense/upset do you feel before relaxation (0-100)?	
--	--

REVIEWING PROGRESS IN TREATMENT

- How are you compared to when you started?
- What has changed?
- What has stayed the same?
- What are the most important things you learned?
- What were the least helpful parts of the treatment?
- What parts of the treatment do you plan to continue?
- This was a short treatment and you have learned many different things. Think about what may have changed over the past five weeks. You may notice some changes already. Some people may notice small changes, and others notice big changes. Some people may feel the same.

- An important part of this treatment is that you should continue to feel better. You should sleep better and have fewer nightmares as long as you continue to practice the things you have learned. For some people, this takes a bit longer than for others.
- *Therapy does not end today! You need to keep it up.*

DEVELOPING FLEXIBILITY IN YOUR SLEEP HABITS

As we discussed at the beginning of the program, the fairly rigid sleep habits we established do not necessarily need to be continued the rest of your life.

Some of these new habits will be more important to maintaining good sleep than others. For example, not sleeping late on weekends was important during the period of reestablishing healthy sleep habits, but once established you may be able to sleep *an hour later* on weekends with minimal impacts on your sleep.

You will need to take a systematic approach to determine what is important and what is not.

1. **Make sure you have achieved maximum improvement in your sleep.** Look back over the past three to four weeks and see if your sleep has become stable or if you are still achieving improvements. Once your sleep has improved and remains stable (assuming you have applied everything that was applicable in this program), then you can start to experiment with adding back in old habits (e.g., caffeine in the morning, sleeping in no more than an hour on the weekends) if you want.
2. **Change only one thing at a time to see the impact on your sleep.** For example, if your sleep has been stable for a few weeks and you really miss sleeping in on the weekends, begin to sleep in but maintain all the other healthy sleep and stress management habits you have developed. If, after a month of sleeping in late, you find your sleep has not changed significantly, or that you can live with the mild impacts in order to have the benefit of sleeping in, then you can continue to sleep late.
3. **If your sleep gets worse, then you know the change was bad for your sleep.** Continue these types of experiments until you find a pattern of sleep that works well for your lifestyle and that does not cause a rebound of sleep problems.

WHAT TO DO IF INSOMNIA RETURNS OR CONTINUES

Insomnia may return, especially during times of stress. Remember, there are a lot of factors that go into a bout of insomnia.

- Perhaps there is a new stressor in your life.
- Perhaps you are not following the healthy sleep habits as closely as before.
- It is likely a combination of factors.

To prevent mistakes or “relapses” from getting out of control, remember to go back and start practicing **all** of the components of your “New Sleep Plan.” This should help you get back on track and start enjoying good sleep again.

WHAT TO DO IF NIGHTMARES CONTINUE OR RETURN

- The things you have learned can be used whenever you feel upset. Keep using the skills you learned. They will keep helping you. When you are stressed or if you experience another stressful or traumatic event, you may want to go back to old habits.
- If you see that you are stressed, or if you have another nightmare, it is important to try to face it. If you are having a hard time, look back through your workbook. Spend time practicing the relaxation exercises and repeat what you did with your first nightmare. Write it out, read it, and then change it.
- Reading the information in this workbook and practicing what you have learned should help you when you are feeling upset or having nightmares.

SESSION 6 HOME PRACTICE

- Follow your “New Sleep Plan.”
- Complete the Sleep Diary and Nightmare Log.
- Practice relaxation exercises.
- These media files are available to share or download:
 - Progressive Muscle Relaxation Guided Imagery Script One: <https://vimeo.com/480387339>
 - Progressive Muscle Relaxation Guided Imagery Script Two: <https://vimeo.com/480399123>
 - Progressive Muscle Relaxation without Music: <https://vimeo.com/480401030>
 - Progressive Muscle Relaxation with Music: <https://vimeo.com/480402598>
 - Other relaxation resources that are preferred can be used as well. It is recommended that relaxation practice be at least 10-15 minutes and include some element of guided imagery.
- Imagine your new dream in as much detail as you can for about ten minutes each night, followed by relaxation exercise. Record your practice on the Sleep Diary and Nightmare Log.
- You can also practice during the day. The more times you imagine this new dream, the more it will help.
- When you practice:
 - Sit comfortably in a relatively quiet place.
 - Close your eyes if you feel comfortable doing so. If no, keep your eyes open and focus on a point on the floor or on a wall.
 - Mentally create the images of your new dream. Make the images, sounds, feelings, thoughts, and emotions as clear as possible.
 - If within 10 minutes, you get through the new dream, repeat it again and again.
 - You can also make a recording to listen to or read it over.

My New Sleep Plan: Session 2-6

Habits		Under “Habits,” check which habits you want to focus on now or later in treatment. Write “NA” for habits that don’t apply.
Now	Later	Date: <table border="1" style="display: inline-table; width: 100px; height: 20px; vertical-align: middle;"></table>
		1. *To help me get out of bed at the same time every day at _____, I will: <table border="1" style="display: inline-table; width: 100px; height: 20px; vertical-align: middle;"></table>
		2. *I will use the bed and bedroom for sleep and sex only. I will not sleep in places other than the bed. To help me do this, I will: <table border="1" style="display: inline-table; width: 100px; height: 20px; vertical-align: middle;"></table>
		3. I will unwind before bed by: <table border="1" style="display: inline-table; width: 100px; height: 20px; vertical-align: middle;"></table>
		4. I will go to bed only when I am sleepy. I will know I am sleepy when: <table border="1" style="display: inline-table; width: 100px; height: 20px; vertical-align: middle;"></table>
		5. *I will get out of bed if awake more than ~ 15 minutes. I won’t clock-watch. I will do these activities until I feel sleepy (or for a limited amount of time): <table border="1" style="display: inline-table; width: 100px; height: 20px; vertical-align: middle;"></table>
		6. *I will not nap during the day (or I will only nap for less than 30 minutes before 3:00pm). I will keep myself from napping by: <table border="1" style="display: inline-table; width: 100px; height: 20px; vertical-align: middle;"></table>
		7. I will change my sleep environment by: <table border="1" style="display: inline-table; width: 100px; height: 20px; vertical-align: middle;"></table>
		8. *I will cut down or stop nicotine, alcohol, and/or cannabis at bedtime and at night and will do the following to help myself make these changes: <table border="1" style="display: inline-table; width: 100px; height: 20px; vertical-align: middle;"></table>
		9. I will stop having caffeine at this time: <table border="1" style="display: inline-table; width: 100px; height: 20px; vertical-align: middle;"></table>
		10. I will use these grounding skill(s) to help me after a nightmare: <table border="1" style="display: inline-table; width: 100px; height: 20px; vertical-align: middle;"></table>
		11. I will reduce safety behaviors at night by: <table border="1" style="display: inline-table; width: 100px; height: 20px; vertical-align: middle;"></table>
		12. I will have scheduled worry time or planning time at: <table border="1" style="display: inline-table; width: 100px; height: 20px; vertical-align: middle;"></table>
		13. Other: <table border="1" style="display: inline-table; width: 100px; height: 20px; vertical-align: middle;"></table>

* One of the most important habits.

Sleep Diary and Nightmare Log Instructions

General Instructions: Complete your sleep diary every day within one hour of getting out of bed in the morning, if possible. If you forget to fill in the diary or are unable to remember, leave the diary blank for that day. Try not to worry about giving exact times and you should not watch the clock. Just give your best estimate.

This diary can be used for people who are awake or asleep at unusual times and in places other than a bed.

"Day" is the time when you choose or are required to be awake. The term "bed" is the place where you usually sleep.

Step-by-step Instructions:

0. **Date.** Enter today's date even though some of the information you input will be from yesterday.
1. **What time did you get into bed?** Record the time you physically got into bed.
2. **What time did you "try" to go to sleep last night last night?** Record the time that you began "trying" to fall asleep. Some people begin trying to go to sleep as soon as they get in bed, while others get into bed and read, watch TV, or other things. *What we want to know for this question is when you first started trying (e.g., closed your eyes, turned out the lights) to go to sleep.*
3. **How long did it take you to fall asleep in minutes?** Beginning at the time you wrote in question 2, record how long it took you to fall asleep.
4. **How many times did you wake up, not counting your final awakening?** How many times did you wake up between the time you first fell asleep and your final awakening? This would include if you woke up for any reason (e.g., nightmare, sounds, perimeter check, check on the safety of the house or a family member).
5. **In total, how long did these awakenings last in minutes?** What was the total time you were awake between the time you first fell asleep and your final awakening? For example, if you woke 3 times for 20 minutes, 35 minutes, and 15 minutes, add them all up ($20 + 35 + 15 = 70$ minutes or 1 hour and 10 minutes).
6. **What time was your final awakening?** Record the last time you woke up for the day.
7. **What time did you get out of bed for the day?** What time did your feet hit the floor with no further attempt at sleeping? This may be different from your final awakening time (e.g. you may have woken up at 0625 but did not get out of bed to start your day until 0720).
8. **How would you rate the quality of your sleep?** "Sleep Quality" is your sense of whether your sleep was good or poor.
9. **In total, how long did you nap or doze yesterday?** Estimate the total amount of time you spent napping or dozing, in hours and minutes. For instance, if you napped twice, once for 30 minutes and once for 60 minutes, and dozed for 10 minutes, you would answer "1 hour 40 minutes." If you did not nap or doze, enter 0 hours 0 minutes.
10. **Last night, how many nightmares did you have that woke you up?** Record the number of nightmares that caused you to wake up from your sleep last night.
11. **How would you rate the overall severity of your nightmares?** What was the overall severity of the nightmares you experienced last night on a scale on 0 to 4, with 4 being the most severe. If you did not experience any nightmares last night write NA.

ITEMS IN BOX ARE ONLY TO BE COMPLETED WHEN ASSIGNED BY THE THERAPIST

12. **Relaxation practice SUDs ratings Practice 1:** Report your Subjective Units of Distress, or SUDS, directly before and after you practice the relaxation exercise during the day. SUDS range from 0 (meaning no distress/tension) to 100 (meaning the most distress/tension you can imagine).
 13. **Relaxation practice SUDs ratings Practice 2:** Report your Subjective Units of Distress, or SUDS, directly before and after you practice the relaxation exercise at night before bed on the same 0-100 scale.
 14. **How many times did you practice imagining the new dream yesterday and for how many minutes total?** Record the number of times you practiced imaging your new dream and the total time of practice yesterday. For example, if you practiced twice for 10 minutes each, add the time up to equal 20 minutes total and record "2 (20 min)."
15. **Comments:** If your sleep is affected by some unusual event (such as an illness, an emergency, a dog barking, kids crying or some other disturbance), please make brief notes.

Sleep Diary and Nightmare Log

ID/Name: _____

Appointment/Date: _____

Date	Sample 3/31/22							
1. What time did you get into bed?	8:30 PM							
2. What time did you try to go to sleep last night?	9:30 PM							
3. How long did it take you to fall asleep in minutes?	55 min.							
4. How many times did you wake up, not counting your final awakening?	3 times							
5. In total, how long did these awakenings last in minutes?	70 min							
6. What time was your final awakening?	6:30 AM							
7. What time did you get out of bed for the day?	7:10 AM							
8. How would you rate the quality of your sleep? (0=Very Poor, 1=Poor, 2=Fair, 3=Good, 4=Very Good)	3							
9. In total, how long did you nap or doze yesterday?	45 min							
10. Last night, how many nightmares did you have that woke you up?	2							
11. How would you rate the overall severity of your nightmares? (0=Not at all to 4= Extremely; NA=not applicable)	4							
TO BE COMPLETED ONLY WHEN ASSIGNED		Before <u>65</u> After <u>50</u>	Before _____ After _____	Before _____ After _____	Before _____ After _____	Before _____ After _____	Before _____ After _____	Before _____ After _____
12. Relaxation Practice 1: SUDs ratings		Before <u>65</u> After <u>50</u>	Before _____ After _____	Before _____ After _____	Before _____ After _____	Before _____ After _____	Before _____ After _____	Before _____ After _____
13. Relaxation Practice 2: SUDs ratings		Before <u>65</u> After <u>50</u>	Before _____ After _____	Before _____ After _____	Before _____ After _____	Before _____ After _____	Before _____ After _____	Before _____ After _____
14. How many times did you practice imagining the new dream yesterday and for how many minutes total?		1 (15 min)						
15. Comments		I have a cold 10 mg Ambien 4 beers						